


COORDINATED MATERIALS • DECORATIVE SURFACES • HARDWARE • ARCHITECTURAL LUMBER • CUSTOM MILLING • CUSTOM LAYUP • MADE TO ORDER DOORS

EDITION 2







Peterman is a resource for customers to select quality wood products and decorative surfaces for cabinetry, furniture, and fine woodworking in both residential and commercial applications.

It is our mission to be the resource for our customers to find premium solutions in the modern age where craftmanship, quality, and efficency are essential to thriving.

Our yard is open to all projects big & small. Whether you are looking to come in and hand select one stick of lumber or have us load up a full truck to deliver to you we value your needs and deadlines.

We are a family owned company and stand behind all our products and understand that our business helps to support yours. Everything you find here at Peterman was brought in specifically because it was something our customers asked for. We pride ourselves to say that we bring in products that exceed your expectations and deliver on your deadlines.

We are driven to find the best and most innovative suppliers to provide you with

thought through product lines that solve problems, not creating more. With materials designed to save you time, have reliability that puts your mind to ease, and quality that you pass onto your customer, all adds more to your bottom line, to help make your business more successful.

Peterman also makes sure that we offer materials sourced from sustainable mills. The longevity of our business is directly tied to our ability to take care of our planet & our customers.

From our service to our products we are a customer DRIVEN supplier. We want to make purchasing your materials easy and enjoyable. We challenge the ordinary and refuse to be just another wood distributor.

Our vision is to continue to offer the classic materials of today, invest in the cutting edge materials of tomorrow, and to cultivate best practices with the ultimate goal of saving on material, time, and labor so our customers can put that value back into the things that mean most to them.







Peterman Lumber has been a family owned business since 1979. It started out as a small shed with hardwood lumber and has grown not only to fill our 14 acre lumberyard in Fontana, CA, but also in the variance of our product offerings and custom capabilities.

1979

-Founded by Clair "Pete" Peterman -Delivering Orders since Day 1 -Lumber, Custom Milling, & Panel Produ 2000 -Partnered with Specialized M

otained KML melamine I d Nevamar Laminates

2013

-Became exclusive distributor of Formica in Las Vegas & Phoenix -Brought in Hybond Adhesives for laminating Formica Products -Launched Cut to Size Program

2015 -Purchased

198

-Moved into Fontana Headquarters -Fontana property developed from an Olive Grove -Opened Las Vegas Yard



2012 Opened Phoenix Yard on 67th Avenue

2014 -Phoenix Quickly outgrew & we moved to Washington St.

2018

-Purchased Cold Lamination Press to Layup HPL and Veneer -Brought in Made to Order melamine doors -Have a full line of coordinated materials & hardware to open up cabinetmakers to European trends -Brought in European Hardware Styles



Brought in Decorative Surfaces for easy finishing options

2020

-Brought on Bussolotti Cabinet Systems by Salt Intl.

40+ years SERVING YOU





<u>COORDINATED MATERIALS</u>

WOODGRAINS Super Mattes High Gloss

DECORATIVE SURFACES

STOCKED MELAMINES BOX MATERIALS FORMICA FINISHES FENIX™ ACRE BY MODERN MILL 10FT MELAMINES

SPECIALTY SURFACES

COUNTERTOPS RECLAIMED MIRROR DECORATIVE PANELS METALS

HARDWARE ABRASIVES ADHESIVES & WOOD FILLERS DECORATIVE & HANDLELESS GOLA INTEGRATED HARDWA FILO & KARMEN FINGER PULL LOLA SCALED TO LENGTH PU PRIDE INDUSTRIAL BAR PULL DRAWER SLIDES FASTENERS

HINGES & DOOR SYSTEMS ORGANIZERS SHELF & CLOSET HARDWARE SHELF CLIPS & TOEKICK SYST

<u>LUMBER</u>

STOCK & PRICING HARDWOODS SOFTWOODS VENEERS MILLWORK CORE OPTIONS

CUSTOM CAPABILITIES

BUSSOLOTTI CABINET SYSTEM In House Fabrication Rehau Fabrication How to order

	25 27 35 39 41 45 47
	53 55 63 66 67 68
S HARDWARE ARE SYSTEM BY SALT INTL. L SYSTEM BY SALT INTL. ULLS BY SALT INTL. LS & KNOBS	73 75 87 91 95 96 97 99 102 111 121 123 127
ΞΜ	131 133 135 139 141 145 169 181 185 199 205

3

11

19





COORDINATED MATERIALS

Whether working on cabinets for a single kitchen or a chain of commercial spaces – Peterman Lumber has Coordinated Materials that make fabrication a breeze with design quality textures - that are a perfect match to each other. We have over 175+ options of coordinating material for any project you come across.

SURFACES THAT SAVE YOU FINISHING TIME WITH CONSISTENT & STABLE COLOR THAT CAN BE USED IN RESIDENTIAL AND COMMERCIAL APPLICATIONS.



BOARD

Premium textured and double sided board to make high-end streamlined furniture and cabinetry



Durable and compact; great for high impact surfaces and applications when you cannot use board.

HPL

EDGEBAND

Easy finishing solution made for multiple application types and machines. Comes in multiple widths to compliment board thicknesses





Complete customized door and drawer solutions. Door styles range from traditional to modern.













1



Jestured WOODGRAINS

LACQUER







WEST HIGHLAND WHITE 0028

Terra is an extremely durable, deeply textured woodgrain surface that is made from HPL rather than melamine paper. Its 10ft format reaches from floor to ceiling without seam. Its soft touch finish sets it apart from other products.

NORTHERN OAK

4574

^CREHAU

WHISKEY OAK

RIVERFRONT ELM

4511

4528

DUSK PINE 4513

HARVEST WALNUT 4604

MOUNTAIN OAK 4512

SM'ART

Cover from floor to ceiling without the seam with 10ft textured melamine that is perfect for closets and wall cladding. Beautifully designed and produced in Italy.



PRODUCT SPECS

HPL/SKINS

-SHEET SIZE: 60" x 120" -THICKNESS: 0.7mm (1/32")

81-1/2" x 120" -THICKNESS: 8mm (5/16") 19mm (3/4")

BOARD

-SHEET SIZE:

-CARB2 Hardwood Particle Board



BOARD

-SHEET SIZE: 51" x 120" -THICKNESS: 13/16" -DOUBLE SIDED


HPL/SKINS

-SHEET SIZE: 51" x 120" (1300 x 3050mm) -THICKNESS: 0.9mm

O EDGEBAND -ROLL LENGTH: 600' -THICKNESS: 1mm (ABS) 1.2mm (Laser)

-WIDTH: 23mm

DOORS



COORDINATED MATERIALS | PETERMANLUMBER.COM 3



SALT

SM 'art'

WOODGRAINS





-ROLL LENGTH: 328 -THICKNESS: 1mm

-WIDTH: 23mm 43mm 65mm

-BANDING TYPE: ABS




-Completely custom door and drawer solutions.

SAVIOLA

Italian Thermal Structured Veneers offer the elegance of high end European design with the benefits of 100% Post-Consumer recycled materials and a 13 hour water resistant hydro-core.







PRODUCT SPECS

HPL/SKINS -SHEET SIZE:

-THICKNESS: 0.7mm (1/32")

60" x 120"

-SHEET SIZE: 83-5/16"x110-1/4" -THICKNESS: 8mm (5/16")

19mm (3/4") -CARB2 Hardwood Particle Board

BOARD

-Double-sided Woodgrain Texture

5 COORDINATED MATERIALS | PETERMANLUMBER.COM







- -ROLL LENGTH: 328' -THICKNESS: 1mm
- -WIDTH:
- 23mm, 43mm, 65mm
- -BANDING TYPE: ABS



-Completely custom door and drawer solutions.



) CHERRY

SEROTINA

PITTONI

FPITTONI

TIMELESS

WALNUT PITTONI

SEPPIA WALNUT

L40

ARTIKA

BOARD

-SHEET SIZE: 4'x8'

-DOUBLE SIDED

-THICKNESS: 1/4", 3/4"

Our Artika texture is wide linear plate texture that is available in 23 trendy patterns. Feel good about your design and manufacturing choice - core materials are 100% recycled with non-added formaldehyde core materials.



*See additional Artika & Rain colors on the next page.


PRODUCT SPECS

HPL/SKINS

-SHEET SIZE: 4'x8' -THICKNESS: 0.7mm

ered	EGNU grains that ha with the patter 100% designed	
MEZZC	Mezzo Cherry Jasper L34	Walnut Pittoni White Nebbia L31
WALNU NATURAL N	Mezzo Cherry Kirsche L35	TRENTO OAK Coastal L38
WALNU	TRENTO OAK	TRENTO OAK

True realistic wood patterns; with textured matched





-SHEET SIZE: 5'x8' -THICKNESS: 1/4", 3/4" -DOUBLE SIDED


HPL/SKINS

-SHEET SIZE: 5'x8' -THICKNESS: 0.03"

O EDGEBAND

-ROLL LENGTH: 600' -THICKNESS: 1mm -WIDTH: 15/16" -BANDING TYPE: ABS

DOORS -AVAILABLE IN 3 STYLES:



STEVENSWOOD







O EDGEBAND -ROLL LENGTH: 600' -THICKNESS: 1mm -WIDTH: 15/16" -BANDING TYPE: ABS



8



Our Artika texture is wide linear plate texture that is available in 23 trendy patterns. Feel good about your design and manufacturing choice - core materials are 100% recycled with non-added formaldehyde core materials.






RAIN

Our Rain Texture is a more narrow linear plate texture available in 2 colors - available on the same great core and manufactured in the USA.





5PC


3PC Slab



ABS









10 抓


NOIR


This product boasts the lowest gloss level testing making it the most matte product available. Noir offers a soft velvet matte touch with anti-fingerprint, anti-microbial, and very high scratch resistance – suitable for countertops.



SHADE

Anti-fingerprint without the extra cost. Shade is a high-quality PET surface with low light reflectivity, impact and mold resistance. The soft, surface mimics flat painted finishes without the hassle of a paint shop.





PRODUCT SPECS

-DOUBLE SIDED

11

*Ask Sales Rep for info on **Single Sided option**

1.2mm (Laser) -WIDTH: 23mm 5PC Slab **BOARD**

HPL/SKINS

UNAVAILABLE

-THICKNESS: 19.5mm (3/4") -SINGLE SIDED WITH MATCHING BACKER

-SHEET SIZE: 48" x 110"

COORDINATED MATERIALS | PETERMANLUMBER.COM

LIGHT GREY 154420

DARK GREY 154421

BLACK 154418

O EDGEBAND

-ROLL LENGTH: 328'

-THICKNESS: 1mm (ABS) 1.2mm (Laser) -WIDTH: 23mm



Slab









Crystal glass acrylic surface provides a "frosted" matte finish back painted glass in a light-weight and durable polymer. The UV-resistant boards feature colorfastness and the convenience of cutting and drilling during installation.

[℃]REHAU



The next generation of laminate surfaces. Fenix earns the title super matte with its recognizable soft touch, and unique ability to thermally heal surface scratches. It's durability is a product of the nanotechnology used in the surface of this material.





PRODUCT SPECS



-SHEET SIZE: 51" x 110"

-THICKNESS: 19.5mm (3/4")

-SINGLE SIDED WITH MATCHING BALANCING BACKER



PRODUCT SPECS

-SHEET SIZE: 51" x 110" -THICKNESS: 4mm

-SINGLE SIDED WITH MATCHING BALANCING BACKER

*Contact a Sales Rep and ask for Crystal Slim Material availability

O EDGEBAND

-ROLL LENGTH: 328' -THICKNESS:

1mm (ABS) 1.2mm (Laser) -WIDTH: 23mm



-AVAILABLE IN 2 STYLES:



Prep for Glass *Glass not included **BOARD**

-SHEET SIZE: 48" x 96" 48" x 120" 60" x 144"

-THICKNESS: 19.5mm (3/4")

-SINGLE SIDED WITH MATCHING BALANCING BACKER

HPL/SKINS

-SHEET SIZE: 48" x 96" 48" x 120" 60" x 144"

COORDINATED MATERIALS | PETERMANLUMBER.COM 13





-ROLL LENGTH: 328'

-THICKNESS: 1mm (ABS) 1.3mm (Laser) -WIDTH: 23mm



FENIX M





Engineered with a specialized technology, the range is made up of an anti-fingerprint surface with a smooth satin finish. Matt Meister is a super matte surface with PU+ and multiple acrylic coating that improves the ability to cut and drill without chipping the surface. PU+ and multi-acrylic layers create entirely new surface properties; it is antibacterial, hygienic, and resistant to scratches.

INTERIOR WHITE

GOTHIC GREY

21341



-SHEET SIZE: 48" x 110"

-THICKNESS: 19mm (3/4")

-CARB2, HYDROBOARD, & 2 SIDED SUPER MATTE

48" x 96"	
48" x 120"	
60" x 144"	

-THICKNESS: 0.9mm

-SHEET SIZE:

*No HPL due to the UV Finish. We use FENIX HPL as its commercially accepted match. -ROLL LENGTH: 328'

-THICKNESS: 1mm (ABS) 1.3mm (Laser)

-WIDTH: 23mm 43mm 65mm



*5PC only available for Bianco White.

BOARD

HPL/SKINS

-SHEET SIZE: 4' x 9' -THICKNESS: 19mm (3/4") *Folkstone Grey, Gothic Grey, & Interior White also available in 8mm.


-SINGLE SIDED WITH MATCHING BACKER

NITRO



SUPER MATTES

FOLKSTONE GREY 25019



PIANO BLACK 25066

PRODUCT SPECS



-ROLL LENGTH: 328' -THICKNESS: 1mm -WIDTH: 23mm



-AVAILABLE IN 2 STYLES:



*5PC only available for Folkstone Grey, Gothic Grey, & Interior White












Crystal Acrylic Glass is a high gloss surface with a painted glass look with no left over ghosting when wiping its surface. It can be cut and drilled with standard woodworking tools, and requires no aluminum frame.



BRILLIANT

The highest quality in high gloss with 20+ years of UV resistance. The boards feature double sided high gloss acrylic surfaces; laminated on super refined MDF in a PUR clean-room environment to ensure ultra smooth & reflective qualities.





-SHEET SIZE: 51" x 110" -THICKNESS:

19.5mm

-SINGLE SIDED WITH MATCHING BALANCING BACKER

📥 CRYSTAL SLIM

-SHEET SIZE: 51" x 110" -THICKNESS: 4mm -SINGLE SIDED WITH MATCHING BALANCING BACKER

*Contact a Sales Rep and ask for Crystal Slim Material availability

O EDGEBAND

-ROLL LENGTH: 328' -THICKNESS: 1mm (ABS)

1.2mm (Laser) -WIDTH: 23mm

DOORS

-AVAILABLE IN 2 STYLES:



5PC Prep for Glass *Glass not included **BOARD** -SHEET SIZE: 51" x 110"

HPL/SKINS

-THICKNESS: 19.5mm -DOUBLE SIDED

-SHEET SIZE: 51" x 110" -THICKNESS: 0.7mm



BIANCO 5000B







-ROLL LENGTH: 328'

-THICKNESS: 1mm (ABS) 1.2mm (Laser) -WIDTH: 23mm












Gloss Meister High Gloss PU+ Acrylic panels offer great features to create spaces with breathtaking beauty. The lustrious mirror like finish captures the surrounding reflection and ensures perfectly smooth surfaces. This gloss surface with PU+ and multiple acrylic coating that improves the ability to cut and drill without chipping the surface. The mirror like finish captures the surrounding reflection and ensures perfectly smooth surfaces to give any space a contemporary look.



UV lacquered high gloss panels have deep color and a 9-hour water resistant hydro-core. These panels are available 2 sided or with a 1 sided matching backer. Imported product from Italy.







BOARD

-SHEET SIZE: 48" x 110-1/4" -THICKNESS: 19mm (3/4")

-CARB2, 9HR Water Resistant MDF Core

-Wood Textures & Bianco available as 1 or 2 sided

HPL/SKINS

UNAVAILABLE

O EDGEBAND

-ROLL LENGTH: 328'

-THICKNESS: 1mm -WIDTH: 23mm 43mm 65mm

-BANDING TYPE: ABS





*Completely custom door and drawer solutions



-SHEET SIZE: 4' x 9' -THICKNESS: 19mm (3/4") -SINGLE SIDED WITH MATCHING BACKER

HPL/SKINS

-SHEET SIZE: 4' x 8' -THICKNESS: 0.7mm









-ROLL LENGTH: 328' -THICKNESS: 1mm (ABS) -WIDTH: 23mm




















DECORATIVE SURFACES

Do not feel limited to the same patterns you have seen for years with no texture. Your customers deserve better. When you do not need coordinating materials – Peterman Lumber carries over 200 decorative surfaces that offer a consistent and reliable option for cabinetry and closets that are rated for both residential and commercial applications.



CABINETRY

The most options of colors and modern textures you will find in the southwest. Materials that solve problems for cabinet box interiors, finishing, seams, and just some great and reliable textures.



CLOSETS

Many options for modern with the widest selection of 10 foot melamines that reach from floor to ceiling without any seams.










SALT















黍

PREMIUM TEXTURED

These premium textured melamine boards have a pressed grain pattern and a wide variety of modern to traditional colors that are prefinished and ready to go.





BOARD

-SHEET SIZE: 49" x 97" -THICKNESS: 1/4" 3/4" -DOUBLE SIDED • EDGEBAND -ROLL LENGTH: 300' -THICKNESS: 1mm -WIDTH: 15/16" -BANDING TYPE: PVC

PRODUCT SPECS

Changing the World of Surfaces

 BOARD
 -SHEET SIZE: 61" x 97"
 -THICKNESS: 1/4" 3/4"

-DOUBLE SIDED

O EDGEBAND

-ROLL LENGTH: 600' -THICKNESS: 1mm -WIDTH: 15/16" -BANDING TYPE: ABS AMERICAN LAMINATES

BOARD

-SHEET SIZE: 49" x 97" -THICKNESS: 1/4" 3/4" -DOUBLE SIDED


O EDGEBAND


-ROLL LENGTH: 300' -THICKNESS: 1mm -WIDTH: 15/16" -BANDING TYPE: PVC











PRODUCT SPECS



BOARD

-SHEET SIZE: 61" x 97" -THICKNESS: 1/4" 3/4" -DOUBLE SIDED



-ROLL LENGTH: 600' -THICKNESS: 1mm -WIDTH: 15/16" -BANDING TYPE: ABS



LINEAR TEXTURED

These on trend woodgrain patterns feature a more bold linear embossed texture with a semigloss sheen for a more streamlined contemporary look.

PEARL WHITE 043	MORNING FOG 596	White Zebrine G85
NATURAL ELM 574	WEATHERED TEAK GT8	Gregio Pine W29
NATURAL RUSTIK G88	CANNELLA OAK	GREY ECHO 589
Shadow teak GT6	Cannella Rustik G87	OYSTER PINE
TEAK	DARK ELM 576	DRIFT LOUD G92





BOARD

-SHEET SIZE: 49" x 97" -THICKNESS: 1/4" 3/4" -DOUBLE SIDED

O EDGEBAND -ROLL LENGTH: 600' -THICKNESS: .018" -WIDTH: 15/16"



BOARD -SHEET SIZE: 49" x 97" -THICKNESS:

-DOUBLE SIDED

1/4"

3/4"

O EDGEBAND

-ROLL LENGTH: 600' -THICKNESS: 1mm -WIDTH: 15/16" -BANDING TYPE: ABS



O EDGEBAND

-SHEET SIZE: 49" x 97" -THICKNESS: 1/4" 3/4"

-ROLL LENGTH: 600' -THICKNESS: .018" -WIDTH: 15/16"

-DOUBLE SIDED



PRODUCT SPECS







BOARD

-SHEET SIZE: 49" x 97" -THICKNESS: 1/4" 3/4" -DOUBLE SIDED




-ROLL LENGTH: 600' -THICKNESS: 1mm -WIDTH: 15/16" -BANDING TYPE: ABS



CLASSIC SMOOTH WOODGRAINS

Classic smooth non-textured melamine boards with printed wood patterns ranging from natural to stained wood tones. These boards have the advantages of semi gloss finish with a smooth non-textured surface.





PRODUCT SPECS



O EDGEBAND

-SHEET SIZE: 49" x 97" -THICKNESS: 1/4" 1/2" 3/4" *Contact Sales Rep for additional thicknesses

-ROLL LENGTH: 600' -THICKNESS: .018" -WIDTH: 15/16"

```
31 DECORATIVE SURFACES | PETERMANLUMBER.COM
```








忝 32



Peterman Lumber has a wide range of textures available in stock for solid colors.





-WIDTH: 15/16"

3/4"

*Satin Finish only offered

in 1/4" & 3/4" thickness

33 DECORATIVE SURFACES | PETERMANLUMBER.COM
















ANTHRACITE LINEN

GSX7F

ORION GREY

Hardware is supposed to make your business more efficient. Peterman is here to give you great options to make you more efficient while



STOCKING:

- -5/8" will slide right into Legra box drawer bottom
- -3/4" great for cabinet boxes
- -1/4" great for box backers & drawer bottoms



- -Soft Touch Linen Texture
- -Double Sided

LINENS

- -3 Color Options
- -13 Hour water resistant core
- -100% Post Consumer recycled material
- -Product designed & manufactured in Italy.

ANTHRACITE LINEN

GSX7R



BUFF LINEN

GS20M

PRODUCT SPECS

BOARD

-SHEET SIZE: 83-5/16" x 110-1/4"

-THICKNESS: 8mm (5/16") 15mm (19/32") 19mm (3/4")

-CARB2 Hardwood Particle Board

HPL/SKINS

-SHEET SIZE: 60" x 120" -THICKNESS: 0.7mm (1/32")

-WIDTH: 23mm 43mm 65mm

-BANDING TYPE: ABS

-ROLL LENGTH: 328'

-THICKNESS: 1mm













BALTIC BIRCH

Not looking for melamine box interiors? We have fantastic options for prefinished plywood boxes as well. Peterman stocks the largest inventory of baltic birch in the southwest.

PRODUCT FEATURES

- -European Edge looks great without edgetape -Great Stability
- -Stays flat because of the manufacturing process -Ask us about our imported birch.

-5x5' core comes with our standard interior glue line -4x8' comes with a moisture resistant phenolic glue line




THICKNESS	5X5'	4X8'
1/8	\checkmark	
1/4	\checkmark	✓
3/8	\checkmark	
1/2	\checkmark	✓
5/8	\checkmark	\checkmark
3/4	\checkmark	\checkmark



THICKNESS	5X5'	4X8'
1/8		
1/4	\checkmark	\checkmark
3/8		
1/2	\checkmark	\checkmark
5/8	\checkmark	\checkmark
3/4	\checkmark	\checkmark

MIGHT ALSO BE interested in...



MAPLE

hold up to whatever specification is needed.



BOARD

-SHEET SIZE: 48.5" x 96.5" -THICKNESS: 3/4" or 1/2" -AVAILABLE IN UNFINISHED RAW AND PREFINISHED 1 AND 2 SIDED

MURPHY

CORES AVAILABLE:

PREMIUM CALIBRATED J CORE

Calibrated with tightest tolerances and lightest weight



MDF CROSS BANDS

Calibrated with no imperfections and heavier weight



DOMESTIC VENEER CORE

Best for screw holding with the same weight of the premium J Core


OUR MOST POPULAR OPTION



180FX



180FX® laminate marks a revolution in surfacing with true-to-scale granite patterns that offer visual drama unmatched by any other laminate. Modern, sophisticated high resolution patterns focus on a natural palette versatile enough to pair with any interior design concept.



PRODUCT FEATURES

- Post forming
- Horizontal and Vertical - Durable and Wear Resistant
- Impact Resistant
- More Colors Available*

<u>GRADE 12</u>

Horizontal Post forming Grade (HGP) Outside radius to 1/2" (12.7mm) and cove radius to 3/16"(4.8mm).

SIZES (all thicknesses are 0.04") : - 30" X 96" - 48" X 96" - 48" X 144" - 30" X 120" - 30" X 144" - 60" X 144"



Scan here to learn more about 180FX by Formica.





Exclusive distributor in Peterman Lumber Las Vegas, NV and Phoenix, AZ

40 茶



FENIX NTM[®] Bloom, more innovative and more natural raw materials. The extremely matte smart material is enriched with Bloom, a lignin-based technology for the core.









-SHEET SIZE: 3050mm x 1300mm 4200mm x 1300mm -THICKNESS:

0.7mm



-ROLL LENGTH: 328'

-THICKNESS: 1mm (ABS) 1.3mm (Laser) -WIDTH: 23mm *Made-to-order product. Subject to 16+ week lead time. Please contact your Las Vegas or Phoenix Sales Rep for more information.



Scan here to find out more about FENIX NTM Bloom





Low light reflectivity, extremely matte surface Anti-fingerprint

FENIX NTM® BLOOM







Soft touch



Thermal healing of superficial micro-scratches

***** 42

FENIXTM

Introduced in 2013, FENIX NTM® is a technical and aesthetic answer to two interior design trends: smart materials and matte surfaces. A material with timeless colors for vertical and horizontal applications.







-SHEET SIZE: 4' x 8' (0.8mm thickness only) 5' x 12' (0.8mm thickness only) 3050mm x 1300mm 4200mm x 1600mm

-THICKNESS: 0.8mm 1.2mm 12mm (certain colors available)



-ROLL LENGTH: 328' -THICKNESS:

1mm (ABS) 1.3mm (Laser) -WIDTH: 23mm Please contact your Las Vegas or Phoenix Sales Rep for more information.



Scan here to find out more about FENIX NTM









Low light reflectivity, extremely matte surface

Anti-fingerprint

FENIX^{NTM®}



Soft touch



Thermal healing of superficial micro-scratches





ACRE

MODERNIMILL

ACRE is the ideal alternative to wood. It's beautiful, easy to care for, and better for the environment. ACRE is strong, water-resistant, and guaranteed not to rot, crack, or splinter. It's light in weight and fits countless exterior and interior applications. ACRE is manufactured is the USA from upcycled rice hulls, making it a sustainable choice that does not sacrifice performance.



PRODUCT SPECS

SHEETS

-SHEET SIZE: 4' x 8' 4' x 10' (3/4" thickness only) -THICKNESS: 1/2" 3/4" 1"

-Sanded on both sides and embossed one side.

*Use any water-based stains, finishes, lacquers, sealers, paint, etc.

*Adhesive options: Polyurethane Glue, PVC Glue, Contact Cement, Two-part Epoxy, and Constructions Adhesive. (Do not use Wood Glue)

WHAT MAKES ACRE DIFFERENT?

ACRE[™] BY MODE R N•M I L L

A Revolutionary New Wood Alternative





LOOKS AND FEELS LIKE WOOD

WATER-BASED STAINS, LACQUERS, PAINT, ETC. (WATER BASED ONLY)



LIMITED LIFETIME GUARANTEE NOT TO ROT, CRACK OR SPLINTER



IMPORTANT NOTES: To avoid delamination, do NOT use wood glue and refer to the adhesive options under product specs. Use water-based stains, finishes, lacquers, sealers, paint, etc.





100% RECYCLABLE, ZERO-WASTE MANUFACTURING, MADE IN THE USA



CONTAINS NO WOOD FIBERS, ADHESIVES OR FORMALDEHYDE

RESISTS WATER, WEATHER AND PESTS



EASY TO CARRY AND WORK WITH NO SPECIAL TOOLS OR TRAINING



Terra is an extremely durable, deeply textured woodgrain surface that is made from HPL rather than melamine paper. ^CREHAU

SM'ART

Cover from floor to ceiling without the seam with 10ft textured melamine that is perfect for closets and wall cladding. Beautifully designed and produced in Italy.



PRODUCT SPECS

➡ HPL/SKINS

-SHEET SIZE: 60" x 120" -THICKNESS: 0.7mm (1/32")

-SHEET SIZE: 81-1/2" x 120"
-THICKNESS:
8mm (5/16")
10mm (2/4")

-CARB2 Hardwood Particle Board



PRODUCT SPECS

BOARD

-SHEET SIZE: 4'x10' -THICKNESS: 19mm (3/4") -DOUBLE SIDED

➡ HPL/SKINS

LAKEFRONT ELM

4530

-SHEET SIZE: 51" x 120" (1300 x 3050mm) -THICKNESS: 0.9mm

O EDGEBAND -ROLL LENGTH: 328' -THICKNESS: 1.3mm -WIDTH: 23mm

-BANDING TYPE:

ABS, Laser or Hot Air

EAST ELM 4548

DOORS



MOUNTAIN OAK 4512

19mm (3/4")

BOARD





-ROLL LENGTH: 328' -THICKNESS: 1mm -WIDTH: 23mm, 43mm, 65mm -BANDING TYPE: ABS



-Completely custom door and drawer solutions.

KML

Peterman's exclusive 10ft textured melamine program with KML gives you classic wood patterns with on classic colors that leave you looking neat with your color choice, and lack of seam lines. Edgewood by KML is only offered at our Las Vegas location.

CLASSIC

KMAW600

EDGEWOOD

BIANCO

KMAH30

CLASSIC

KMAK610

CLASSIC

KMD749

CLASSIC

KMD711

EDGEWOOD

KMD7130

TENINO GREY

BLOOMING CHERRY

HARD ROCK MAPLE

SILVER FROST

GALAXY WHITE



The next generation of laminate surfaces. Fenix earns the title

super matte with its recognizable soft touch, and unique ability

to thermally heal surface scratches. It's durability is a product



-SHEET SIZE: 48" x 96" 48" x 120" 60" x 144" -THICKNESS:

19.5mm (3/4")

-SINGLE SIDED WITH MATCHING BALANCING BACKER 📥 HPL/SKINS

-SHEET SIZE: 48" x 96" 48" x 120" 60" x 144"

-THICKNESS: 0.7mm

O EDGEBAND

-ROLL LENGTH: 328' -THICKNESS: 1mm (ABS) 1.3mm (Laser)

-WIDTH: 23mm



-AVAILABLE IN 2 STYLES: 5PC Slab **BOARD**

-SHEET SIZE: 4' x 8' 4' x 10' -THICKNESS: 1/4" (MDF Core) 1/2" (Pine Core) 5/8" (Pine Core)

3/4" (Pine Core)

-ROLL LENGTH: 328' -THICKNESS: 1mm (ABS) 1.3mm (Laser) -WIDTH: 23mm

O EDGEBAND

k K

FENIX







*EXCLUSIVE TO LAS VEGAS BRANCH *CHECK WITH SALES REP FOR AVAILABILITY



茶











SPECIALTY SURFACES

Surfaces that beautifully compliment traditional, industrial, or modern trends when used with other natural or manufactured materials from Peterman Lumber's selection. We feature a variety of surfaces that are machinable with standard woodworking equipment, and can be used in both vertical and horizontal applications.

COUNTERTOPS


Peterman has both woodworking machinable countertops as well as made to order quartz and ultra compact countertops.




WALL COVERINGS

Whether you are looking for a rustic reclaimed accent wall or some lightweight mirrored sliding doors for closets, Peterman has options that will save you some headaches along the way.

ACCENTS



Looking to add a bit of character or emphasis in your room – use these options as a toekick, surround, or as an alternative to doors.



MEGANITE













COUNTERTOPS: SOLID SURFACE

EVERFORM™

WHITE SPEX TUMBLED GLASS WHITE RENEW WHITE SPARKLE 931 748 413 **VAPOR** 783 **BRITE WHITE** LUNA SAND FROST 757 ARCTIC **GLACIER ORE** LUNA BRITE WHITE **BIANCO MINERAL** 102 758 **BLEACHED CONCRETE SEA GLASS** BLANCO TERRAZZO LUNA SAIL WHITE 505 60. CREMA TERRAZZO **GAMMA GRAY** WHEAT MATRIX

417

sinks and shower surrounds.

As tough as it is beautiful, Everform[™] Solid Surfacing shapes

itself to virtually any design concept. The durable, non-porous

surface is ideal for a worktable or custom bar top, as well as

Available for the LV Quick Pick Program.

PRODUCT SPECS

SHEET

-SHEET SIZE: 30" x 145" -THICKNESS: 1/2"

*Please contact your Las Vegas and Phoenix Sales Reps for availability.

We stock all matching Integra Adhesives for each formica Everform Solid Surface Color.

778

103

403

773

333



Peterman Lumber Inc is an exclusive distributor of Formica products in our Phoenix, AZ and Las Vegas, NV branches.



Available for the LV Quick Pick Program.



1/2"

*Please contact your Las Vegas and Phoenix Sales Reps for availability.




We stock all matching Integra Adhesives for each formica Everform Solid Surface Color.





MOVEMENT

Design inspired by natural stone, this marble collection is highlighted by a distinct veining that runs through each slab. With 100% Acrylic resin, colors will stay vibrant and will not yellow over time, and will stand up to indoor and outdoor use.



Advanced antimicrobial technology is developed to improve

indoor environment surfaces against deterioration, stains &

odor causing bacteria. AcryMed by Meganite is designed for



SLAB

-SHEET SIZE: 30" x 144"

-THICKNESS: 1/2"

-Different thicknesses available as a factory order option through the Smart Size program. MOQ 1,200sf or more.

*PRODUCT EXCLUSIVE TO FONTANA BRANCH *CHECK WITH SALES REP FOR AVAILABILITY



STORM CLOUD M032

PRODUCT SPECS

SLAB

-**SHEET SIZE:** 30" x 144" -THICKNESS: 1/2"

*PRODUCT EXCLUSIVE TO FONTANA BRANCH

*CHECK WITH SALES REP FOR AVAILABILITY

-Different thicknesses available as a factory order option through the Smart Size program. MOQ 1,200sf or more.

COUNTERTOPS: SOLID SURFACE

ACRYMED

CHARCOAL CONCRETE M023



MEGANITE

MOVEMENT

抓



These classic everyday colors are some of the top selling color matched Corian colors. With 100% Acrylic resin colors will stay vibrant and will not yellow over time, and will stand up to indoor and outdoor use.










-**SHEET SIZE:** 30" x 144"


-THICKNESS: 1/2"


-Different thicknesses available as a factory order option through the Smart Size program. MOQ 1,200sf or more.

*PRODUCT EXCLUSIVE TO FONTANA BRANCH *CHECK WITH SALES REP FOR AVAILABILITY










DEKTON

Dekton is an innovative ultra compact material that combines a mixture of raw materials to create an extremely durable surface for indoor and outdoor applications. Dekton comes in over 50 colors.



SILESTONE

Silestone is made of more than 90% of natural quartz which means it possesses strength in its surfaces, providing outstanding resistance and durability properties. Silestone comes in over 60 different colors.





*PRODUCT EXCLUSIVE TO

*CHECK WITH SALES REP

FONTANA BRANCH

FOR AVAILABILITY

PRODUCT SPECS

SLAB

-SHEET SIZE: 57" x 126"

-THICKNESS: 0.4cm 2.0cm 0.8cm 3.0cm 1.2cm

-AVAILABLE IN SUEDE & POLISHED TEXTURES

FEATURES

-Surface available in 50+ more colors -Resistant to scratches

- -Non-Porous
- -Stain Resistant
- -Heat Resistant
- -10 year guaranteed quality

-Dekton needs to have an approved fabricator to cut; please contact your local rep for current list of certified fabricators.





PRODUCT SPECS

SLAB -**SHEET SIZE:** 55" x 120" 63" x 128"

*PRODUCT EXCLUSIVE TO FONTANA BRANCH *CHECK WITH SALES REP FOR AVAILABILITY

-THICKNESS: 1.2cm 2.0cm 3.0cm

-AVAILABLE IN SUEDE & POLISHED TEXTURES



FEATURES

- -60+ colors available
- -Stain Resistant
- -Acid Resistant
- -Shock Resistant
- -Scratch Resistant

62 茶

PRÄGEBOARD

Real reclaimed wood with the advantage of manufactured panels and deep surface texture. These rustic veneers come in three natural weathered colors and three different surface embossing options that range from .5mm-3.5mm deep and come prefinished in a matte finish.

PRODUCT FEATURES

-Waste optimized large format -Embossed real wood veneers -Cracks & knotholes filled for premium workability -Smooth and splinter free -Matte finish -Matching Edgebanding Available





PRODUCT SPECS

BOARD

-SHEET SIZE: 118" x 47-5/8"

-THICKNESS: 20mm (Struktur-Board) 19.5mm (Diamant & 2.0)

O EDGEBAND

-ROLL LENGTH: 328 -THICKNESS: 0.9mm -WIDTH: 23mm

SURFACE STRUCTURES

STRUKTUR-BOARD

This veneer is ideal for uniform surfaces. The 0.5mm deep embossed grain texture has a pleasing hand feel while keeping an overall flat surface.

SURFACE Ideal for Flat Surfaces Contemporary matte finish

FORMAT **1mm Thick Veneer** 2800 X 1250 mm / 110 x 49 in

DIAMANT

This veneer was cast from the outer layer of 50 year old barn. The original texture of that same barn was cast and pressed onto this real reclaimed lumber to creates a reliable and touchable surface. The perfect choice for a uniform surface with moderate texture.

SURFACE Moderate Texture 3-D embossed surface free of splinters

FORMAT 4mm Thick Veneer 2980 x 1250 mm / 117 x 49 in

DIAMANT 2.0

Our deepest texture. This veneer takes the same natural texture of DIAMANT to the next level. With an even deeper embossing (up to 3.5 mm deep) this visually striking texture is complimented by indirect lighting highlighting the highs and lows of the grain.

SURFACE Deep 3.5mm Surface Texture Deeper 3-D embossed surface free of splinters

FORMAT 4mm Thick Veneer 2980 X 1250 mm / 117 x 49 in









POPPA'S BARN



POPPAS BAR

This is REAL reclaimed barnwood that is full of charm and none of the prep-work. Available in five locally sourced and naturally weathered colors, and cut to standard widths. So the only installation needed is to simply cut to length and finish nail to your wall.











PRODUCT FEATURES

-Authentic reclaimed wood, distressing, nail holes, and grain color all nature made

-Ready to install: all wood is cleaned, trimmed to size and clear coated.

-Sourced locally from San Bernardino, CA

APPLICATIONS

Easy to install rustic accent for any home, salon, restaurant, or office space.

SPECIFICATIONS

-Western Red Cedar -4-7/8" wide

-Lengths vary between 10"-52" -Planed on back to be ½" thick

-Sold by the 21 sqft bundle or custom large batch quantities

-Raw reclaimed available: it is trimmed, planed, sanded - just needs to be finished! *500 sqft. minimum

-Fire treated Available. Hidden protection under the clear coat per your specifications.



The lighter more durable mirror. Crystal Slim Mirror offers a high-quality glass finish with all the benefits of acrylic.

BOARD





FEATURES

50% lighter than real glass mirror, 10x more break resistant than real glass mirror, scratch resistant, flexible production able to process with woodworking tools, 2mm reflective depth, able to cut into any shape, CNC for behind mirror lighting

PRODUCT SPECS

BOARD

-SHEET SIZE: 4' x 8' -THICKNESS: 19.5mm (3/4") -ONE SIDED WITH FUMO BACKER

E CRYSTAL SLIM -SHEET SIZE: 4' x 8'

-THICKNESS: 4mm -ONE SIDED WITH FUMO BACKER

^CREHAU



LAMINATE

APPLICATIONS

Door Mirrors, Wall Mirrors, Wall Coverings, Closet Mirrors

O EDGEBAND

-ROLL LENGTH: 328' -THICKNESS: 1mm (ABS) 1.2mm (Laser)

-WIDTH: 23mm

*Edgeband is **Crystal Fumo** not mirror-like



Slab

HARDSTOP

Unlike laminate that contains a paper core, HardStop[™] Panels feature a treated fiberglass core for added durability, strength and Class A fire rating. HardStop[™] Panels are a commercial match to standard HPL.



PRODUCT FEATURES


-Durable & Wear Resistant -Impact Resistant -Easy to Clean & Maintain



-SHEET SIZE: 48" × 96" 48" × 120" -2 SIDED, FIBERGLASS CORE, VERTICAL OR HORIZONTAL




Scan here to find out more about Formica Hardstop.





DECORATIVE SEAM TREATMENTS

HardStop[™] Panels can be installed using seam treatments. Formica Group offers a variety of anodized aluminum trims that come in five profiles for any application.





$\mathsf{DECOMETAL}^{\mathbb{B}}$

DecoMetal® Laminate and solid metals deliver lustrous color and sheen with textures reflecting energy, modernity and a feel for craftsmanship. Perfect for adding flair to light duty horizontal or vertical applications: walls, furniture, retail fixtures, signage, exhibits and displays.





PRODUCT SPECS


📥 LAMINATE

-SHEET SIZE: 48" × 96" 48" × 120" -THICKNESS: 0.04" -WITH PHENOLIC BACK **METALS**



Scan here to find out more about Formica DecoMetal. FENIX NTA®

FENIX NTA® is an empowered metal surface with FENIXTM features: visual comfort, soft touch, scratch resistance.







-**SHEET SIZE:** 3050mm x 1300mm 4200mm x 1300mm

-THICKNESS: 0.7mm (Standard Core) 1.2mm (Colored Core) 12.0mm (Colored Core) *Additional thicknesses available *Made-to-order product. Subject to 16+ week lead time. Please contact your Las Vegas or Phoenix Sales Rep for more information.



Scan here to find out more about FENIX NTA





Low light reflectivity, extremely matte of superficial surface micro-scratches

FENIX^{NTA®}







Anti-fingerprint



Soft touch



Real metal structure

赤 70



A metallic PET surface that brings the rich history of metallics to your space. The clear PET film is topped with a metallic inspired print and finished with a UV-cured hard coat and laminated on a MDF core.



METALICA

The Metalica collection by Salt Intl. has a brushed PET surface available in 4 colors. The brushed texture makes metal reflective to light but evades mirror-like reflection that high gloss metals often do.





PRODUCT SPECS

BOARD

-SHEET SIZE: 4' x 9' -THICKNESS:

19mm (3/4") -DOUBLE SIDED, SUPER-REFINED MDF CORE

HPL/SKINS

-UNAVAILABLE

O EDGEBAND -ROLL LENGTH: 328' -THICKNESS: 1mm

(Laser)

-WIDTH: 23mm


DOORS -AVAILABLE IN 1 STYLE:



Slab

-ABLE TO ORDER WITH INTEGRATED HANDLES







PRODUCT SPECS

HPL/SKINS

-SHEET SIZE: 48" x 120" -THICKNESS: 19mm (3/4")

-DOUBLE SIDED, MDF CARB2, PEEL COAT

BOARD

-SHEET SIZE: 48" x 120" -THICKNESS: 1.2mm -PHENOLIC BACK, PEEL COAT



METALS

FEATURES

- -Brushed metallic surface
- -Easily fabricated with wood working equipment
- -Anti-scratch aluminum finish
- -Anti-warping resistant to heat & humidity
- -Easy to miter fold
- -MDF core
- -2-Sided material
- -Matching phenolics available

O EDGEBAND

-ROLL LENGTH: 328' -THICKNESS:

1mm (ABS)

-WIDTH: 23mm 43mm 65mm



Slab

茶 72



HARDWARE

*Main Headquarter's available stock list. Las Vegas and Phoenix stock lists may vary.

Peterman Lumber, Inc. carries a selection of hardware catered towards closet and cabinetry needs. We have solutions for everything from wood filler and sanding paper for hardwood cabinets, to modern solutions for frameless European style cabinets like soft-close hinges and in-cabinet organization systems. Talk to us about simple ways to make your cabinet assembly easier and more efficient today!

ABRASIVES

Peterman lumber partnered with Surfprep to offer one of the most versatile sanding systems for cabinetry & moulding profiles. Surfprep developed the original foam-backed abrasives specifically to get into deep creases and milled out curves.

DECORATIVE & HANDLELESS

We offer on-cabinet and door-routed profiles designed for large banks of doors or drawers that streamline the fabrication process and give you a clean look. Also, we have modern & decorative door handles and pulls.

FASTENERS

For proper construction and assembly, it is critical to purchase wood screws, cabinet screws, hardware screws, drive bits, and other woodworking products that will guarantee a sturdy hold, easy installation and removal, and an attractive appearance for any project.

ORGANIZERS

These are beautiful options that install in the cabinet for spacesaving solutions. Salice has a more contemporary look with metal rails and choice of white or maple melamine base. Pride has economical and useful round and kidney shaped lazy susans.

ADHESIVES & WOOD FILLERS

Titebond has been the industry standard for over 60 years and designed for interior woodworking. Hybond is our choice contact adhesive for HPL. Famowood wood filler is color matched to our lumber selection and can be sanded, cut, and stained just as you would treat lumber.

DRAWER SLIDES

We have quality solutions for drawer slides when you need economical solutions, choices that will stand the test of time, and for when details matter.

HINGES & DOOR SYSTEMS

Peterman has high performing hinges from Salice and CGS for every cabinet box. Salice is the leader in engineering and is continuously innovating to make the best soft close hinges on the market.

HINGES & DOOR SYSTEMS

Peterman carries 10ft melamine for floor to ceiling seamless closets and the hardware to make them productive and functional.

SHELF CLIPS & TOEKICK SYSTEMS

The details you do not see still do matter. For adjustable shelving, we have options for shelf clips and supports from Pride. For under cabinet support, we have PVC toe-kick systems from Salt International.





SANDING SYSTEMS



SANDERS

<u>5" ELECTRIC SANDER</u>

PRODUCT NUMBER	SIZE	
SPES5HL316CV	5" Dia Sander	SurfPrep 5" Electri
SPES5HL332CV	5" Dia Sander	SurfPrep 5" Electri



3X4" ELECTRIC SANDER

PRODUCT NUMBER	SIZE	
SPES3X4	3" x 4"	Su



<u>3X4" AIR SANDER</u>

PRODUCT NUMBER	SIZE	
SPES5HL316CV	5" Dia Sander	SurfPrep 5" Elect
SPES5HL332CV	5" Dia Sander	SurfPrep 5" I



PRODUCT NUMBER	SIZE

3" x 4" Kit SurfPrep 3" X 4" Electric Ray Sanding System Kit Central Vacuum



DESCRIPTION

AIR SANDING SYSTEM

PRODUCT NUMBER	SIZE	DESCRIPTION
SPS3X4	3" x 4" Sander	SurfPrep 3" X 4" 10,000 RPM Orbital Sander (Hook & Loop Backup Pad)







Scan to visit our Peterman Lumber website for details and current pricing

SurfPrep

DESCRIPTION

ric Ray 3/16" Sander (Hook & Loop Backup Pad) Central Vacuum

ric Ray 3/32" Sander (Hook & Loop Backup Pad) Central Vacuum



DESCRIPTION

urfPrep 3" X 4" Electric Ray Sander Only (Non VAC)

DESCRIPTIONS

ctric Ray 3/16" Sander (Hook & Loop Backup Pad) Central Vacuum

Electric Ray 3/32" Sander (Hook & Loop Backup Pad) Central

赤 76

BACKUP PADS

PRODUCT NUMBER

SPBP5HL

SPBP5PSA

SPBP5HLVAC

SPBP3X4



ACCESSORIES

	SIZE	PRODUCT NUMBER
	3×4	SPPS3X4
S	3×4	SPPS3X44
	3 x 4	SPPS5
	12' Hose	SP12H
SU	1 Oz	SPTOIL



SIZE

5" DIA

5" DIA

5" DIA

3" X 4"



DESCRIPTION

SurfPrep 5" Backup Pad Hook & Loop

SurfPrep 5" Backup Pad PSA

SurfPrep 5" Backup Pad Hook & Loop 5-Hole

SurfPrep 3" X 4" Backup Pad







Scan to visit our Peterman Lumber website for details and current pricing







SurfPrep

DESCRIPTION

SURFPREP PAD SAVER 3X4

SURFPREP PAD SAVER 3X4 W/ 4 HOLES FOR VACUUM

SURFPREP PAD SAVER 5"

SURFPREP RED 12' AIR HOSE WITH SWIVEL

URF PREP TOOL OIL 1oz BOTTLE (25 BOTTLES PER CASE)







78

5" DISKS



5" SURF PREP FILM DISCS (HOOK & LOOP)

PRODUCT NUMBER	SIZE
SP5HLF0805	5" DIA
SP5HLF1005	5" DIA
SP5HLF1205	5" DIA
SP5HLF1505	5" DIA
SP5HLF2205	5" DIA



5" SURF PREP FILM DISCS (PSA)

PRODUCT NUMBER	SIZE	DESCRIPTION	
SP5PSAF080	5" DA	SURFPREP 5" PSA FILM	
SPc5PSAF100	5" DA	SURFPREP 5" PSA FILM	
SP5PSAF120	5" DA	SURFPREP 5" PSA FILM	
SP5PSAF150	5" DA	SURFPREP 5" PSA FILM	
SP5PSAF220	5" DA	SURFPREP 5" PSA FILM	




5" SURFPREP FOAM DISCS - 5MM THICK (PREMIUM RED A/O)

PRODUCT NUMBER	SIZE	DESCRIPTION
SPDF55R0605	5" DIA	5" X 5mm SURFPREP PREMIUM RED A/O FOAM DISC W/HOLES 120-150 SCRATCH
SPDF55R1005	5" DIA	5" X 5mm SURFPREP PREMIUM RED A/O FOAM DISC W/HOLES 220-280 SCRATCH
SPDF55R1505	5" DIA	5" X 5mm SURFPREP PREMIUM RED A/O FOAM DISC W/HOLES 320-380 SCRATCH
SPDF55R1805	5" DIA	5" X 5mm SURFPREP PREMIUM RED A/O FOAM DISC W/HOLES 450-500 SCRATCH



|--|

PRODUCT NUMBER	SIZE	DESCRIPTION
SP5HLLPB0805	5" DIA	SURFPREP 5" H&L Latex Paper Backed Discs W/HOLES
SP5HLLPB1005	5" DIA	SURFPREP 5" H&L Latex Paper Backed Discs W/HOLES
SP5HLLPB1205	5" DIA	SURFPREP 5" H&L Latex Paper Backed Discs W/HOLES
SP5HLLPB1505	5" DIA	SURFPREP 5" H&L Latex Paper Backed Discs W/HOLES
SP5HLLPB2205	5" DIA	SURFPREP 5" H&L Latex Paper Backed Discs W/HOLES
SP5HLLPB4005	5" DIA	SURFPREP 5" H&L Latex Paper Backed Discs W/HOLES



5" SURF PREP SANDPAPER DISCS (PSA)

PRODUCT NUMBER	SIZE	DESCRIPTION
SP5PSALPB080	5" DIA	SURFPREP 5" PSA Latex Paper Backed Discs
SP5PSALPB100	5" DIA	SURFPREP 5" PSA Latex Paper Backed Discs
SP5PSALPB120	5" DIA	SURFPREP 5" PSA Latex Paper Backed Discs
SP5PSALPB150	5" DIA	SURFPREP 5" PSA Latex Paper Backed Discs
SP5PSALPB180	5" DIA	SURFPREP 5" PSA Latex Paper Backed Discs
SP5PSALPB220	5" DIA	SURFPREP 5" PSA Latex Paper Backed Discs





Scan to visit our Peterman Lumber website for details and current pricing






DESCRIPTION

SURFPREP 5" VELCRO FILM W/HOLES

DESCRIPTION



SANDPAPER SHEETS



FINISH

SANDPAPER BELTS

SURFPREP SANDPAPER BELTS

PRODUCT NUMBER	SIZE	DESCRIPTION	FINISH
SP32160CAO	3" × 21"	SURFPREP 3 X 21 ANTI STATIC A/O CLOTH BELT	60 Grit
SP32180CAO	3" × 21"	SURFPREP 3 X 21 ANTI STATIC A/O CLOTH BELT	80 Grit
SP321100CAO	3"×21"	SURFPREP 3 X 21 ANTI STATIC A/O CLOTH BELT	100 Grit
SP321120CAO	3" x 21"	SURFPREP 3 X 21 ANTI STATIC A/O CLOTH BELT	120 Grit
SP32460CAO	3" × 24"	SURFPREP 3 X 24 ANTI STATIC A/O CLOTH BELT	60 Grit
SP32480CAO	3" x 24"	SURFPREP 3 X 24 ANTI STATIC 80 GRIT A/O CLOTH BELT	80 Grit
SP324100CAO	3" × 24"	SURFPREP 3 X 24 ANTI STATIC 100 GRIT A/O CLOTH BELT	100 Grit
SP324120CAO	3" x 24"	SURFPREP 3 X 24 ANTI STATIC 120 GRIT A/O CLOTH BELT	120 Grit
SP42460CAO	4" x 24"	SURFPREP 4 X 24 ANTI STATIC 60 GRIT A/O CLOTH BELT	60 Grit
SP42480CAO	4" x 24"	SURFPREP 4 X 24 ANTI STATIC 80 GRIT A/O CLOTH BELT	80 Grit
SP424100CAO	4" x 24"	SURFPREP 4 X 24 ANTI STATIC 100 GRIT A/O CLOTH BELT	100 Grit
SP424120CAO	4" x 24"	SURFPREP 4 X 24 ANTI STATIC 120 GRIT A/O CLOTH BELT	120 Grit





DESCRIPTION





Scan to visit our Peterman Lumber website for details and current pricing

SURFPREP SANDPAPER SHEETS 9" X 11"

PRODUCT NUMBER

SP9X11AO080	9" x 11"	SurfPrep 9" X 11" Aluminum Oxide	80 Grit
SP9X11AO100	9" x 11"	SurfPrep 9" X 11" Aluminum Oxide	100 Grit
SP9X11AO120	9" x 11"	SurfPrep 9" X 11" Aluminum Oxide	100 Grit
SP9X11AO150	9" × 11"	SurfPrep 9" X 11" Aluminum Oxide	150 Grit
SP9X11AO180	9" x 11"	SurfPrep 9" X 11" Aluminum Oxide	180 Grit
SP9X11SCS220	9" × 11"	SurfPrep 9" X 11" Silicon Carbide Stearate	220 grit
SP9X11SCS280	9" x 11"	SurfPrep 9" X 11" Silicon Carbide Stearate	280 grit
SP9X11SCS320	9" x 11"	SurfPrep 9" X 11" Silicon Carbide Stearate	320 grit

SIZE



SurfPrep

ABRASIVES





<u>3" X 4" SURFPREP FOAM PADS - 5MM THICK (PREMIUM RED A/O)</u>

PRODUCT	SIZE	DESCRIPTION	FINISH
SPRF5R0804	3" x 4" x 5mm	SURFPREP PREMIUM RED A/O FOAM BACKED H & L PAD W/HOLES	150 - 180 Medium +
SPRF5R1004	3" x 4" x 5mm	SURFPREP PREMIUM RED A/O FOAM BACKED H & L PAD W/HOLES	220-280 Fine
SPRF5R1504	3" x 4" x 5mm	SURFPREP PREMIUM RED A/O FOAM BACKED H & L PAD W/HOLES	320-380 Very Fine
SPRF5R1804	3" x 4" x 5mm	SURFPREP PREMIUM RED A/O FOAM BACKED H & L PAD W/HOLES	450-500 Super Fine



<u>3" X 4" SURFPREP FOAM PADS - 1/2" THICK (PREMIUM RED A/O)</u>

PRODUCT NUMBER	SIZE	DESCRIPTION	FINISH
SPRFHR0604	3" x 4" x 1/2"	SURFPREP PREMIUM RED A/O FOAM BACKED H & L PAD W/HOLES	120-150 Medium
SPRFHR1004	3" x 4" x 1/2"	SURFPREP PREMIUM RED A/O FOAM BACKED H & L PAD W/HOLES	220-280 Fine
SPRFHR150	3" x 4" x 1/2"	SURFPREP PREMIUM RED A/O FOAM BACKED H & L PAD	320-380 Very Fine
SPRFHR1504	3" x 4" x 1/2"	SURFPREP PREMIUM RED A/O FOAM BACKED H & L PAD W/HOLES	320-380 Very Fine
SPRFHR1804	3" x 4" x 1/2"	SURFPREP PREMIUM RED A/O FOAM BACKED H & L PAD W/HOLES	450-500 Super Fine



<u>3" X 4" SURFPREP FOAM PADS - 10MM THICK (PREMIUM RED A/O)</u>

PRODUCT NUMBER	SIZE	DESCRIPTIONS	FINISH
SPRF10R0604	3" x 4" x 10mm	SURFPREP PREMIUM RED A/O FOAM BACKED H $\&$ L PAD W/HOLES	120-150 Medium
SPRF10R1004	3" x 4" x 10mm	SURFPREP PREMIUM RED A/O FOAM BACKED H $\&$ L PAD W/HOLES	220-280 Fine
SPRF10R1504	3" x 4" x 10mm	SURFPREP PREMIUM RED A/O FOAM BACKED H & L PAD W/HOLES	320-380 Very Fine
SPRF10R1804	3" x 4" x 10mm	SURFPREP PREMIUM RED A/O FOAM BACKED H $\&$ L PAD W/HOLES	450-500 Super Fine

<u>3" X 4" SURFPREP FILM SHEETS (HOOK & LOOP)</u>

PRODUCT NUMBER	SIZE	DESCRIPTION	FINISH
SP3X4HLF1804	3" X 4"	SURFPREP VELCRO FILM W/HOLES	180 Grit
SP3X4HLF2204	3" X 4"	SURFPREP VELCRO FILM W/HOLES	220 Grit
SP3X4HLF3204	3" X 4"	SURFPREP VELCRO FILM W/HOLES	320 Grit





Scan to visit our Peterman Lumber website for details and current pricing



SurfPrep)



***** 84

NON WOVEN HAND PADS



WOOD GLUE

TITEBOND ORIGINAL WOOD GLUE

PRODUCT NUMBER	COLOR	SIZE
5064	Yellow	16 OZ
5065	Yellow	32 OZ (QUART)
5066	Yellow	GALLON
50609	Yellow	2.15 GALLON PROJUG
5067	Yellow	5-GALLON



TITEBOND II PREMIUM WOOD GLUE

PRODUCT NUMBER	COLOR	SIZE
5004	Yellow	16 OZ
5005	Yellow	32 OZ (QUART)
5006	Yellow	GALLON
50009	Yellow	2.15 GALLON PROJUG
5067	Yellow	5-GALLON





Scan to visit our Peterman Lumber website for details and current pricing

SURFPREP NON-WOVEN HAND PADS

PRODUCT NUMBER SIZE		DESCRIPTION	FINISH
SPMXS	6" X 9"	SURFPREP MAROON XTRA SPRAY A/O 60 PER CASE	320 GRIT
SPGRY	6" X 9"	SURFPREP GREY ULTRA FINE S XS S/C 6 x 9 60 PER CASE	800 GRIT



Titebond





WOOD GLUE

Titebond

WOOD FILLER

FAMOWOOD ORIGINAL WOOD FILLER

PRODUCT NUMBER
FAMOALDQP
FAMOALD1
FAMOASH1
FAMOBIR1
FAMOCHRQP
FAMOCHR1
FAMOFIR1
FAMOMHHQP
FAMOMHH1
FAMOMPHQP
FAMOMPH1
FAMONAT1
FAMOOKRQP
FAMOOKR1
FAMOOKTEKQP
FAMOPNW1
FAMOWALQP
FAMOWAL1
FAMOWOODG
FAMOWOODW

TITEBOND III ULTIMATE WOOD GLUE

PRODUCT NUMBER	COLOR	DESCRIPTION
1414	Tan	16 OZ
1415	Tan	32 OZ (QUART)
1416	Tan	GALLON
1417	Tan	5-GALLON



TITEBOND MELAMINE GLUE

PRODUCT NUMBER	COLOR	DESCRIPTION
4014	Tan	16oz
4016	Tan	Gallon



FAMOWOOD LATEX WOOD FILLER

PRODUCT NUMBER	COLOR	DESCRIPTION
FAMOBIR1WB	BIRCH	23 OZ (PINT)
FAMOCHR1WB	CHERRY/DARK MAHOGANY	23 OZ (PINT)
FAMOGOLD1WB	GOLDEN OAK	23 OZ (PINT)
FAMOMPH1WB	MAPLE	23 OZ (PINT)
FAMOOKR1WB	RED OAK	23 OZ (PINT)







Scan to visit our Peterman Lumber website for details and current pricing

FAMOWOOD[°]

COLOR	SIZE
ALDER	6 OZ (QTR. PINT)
ALDER	23 OZ (PINT)
ASH	23 OZ (PINT)
BIRCH	23 OZ (PINT)
CHERRY	6 OZ (QTR. PINT)
CHERRY	23 OZ (PINT)
FIR	23 OZ (PINT)
MAHOGANY	6 OZ (QTR. PINT)
MAHOGANY	23 OZ (PINT)
MAPLE	6 OZ (QTR. PINT)
MAPLE	23 OZ (PINT)
NATURAL	23 OZ (PINT)
RED OAK	6 OZ (QTR. PINT)
RED OAK	23 OZ (PINT)
OAK/TEAK	6 OZ (QTR. PINT)
WHITE PINE	23 OZ (PINT)
WALNUT	6 OZ (QTR. PINT)
WALNUT	23 OZ (PINT)
WHITE GLAZE	23 OZ (PINT)
WHITE	23 OZ (PINT)







茶

88

CONTACT ADHESIVES

CHOICE BRANDS AEROSOL CONTACT ADHESIVE

PRODUCT NUMBER	SIZE	DESCRIPTION
HYCBA270AA	13 OZ (SPRAY CAN)	Choice Aerosol Contact Adhesive High Strength CA Compliant
HYCBA3012	14 OZ (SPRAY CAN)	Citrus Cleaner and Degreaser (Adhesive Remover)





HYBOND WATER BASED CONTACT ADHESIVE

PRODUCT DESCRIPTION	SIZE	DESCRIPTION	COVERAGE
HY31N01W	1 Gallon	Hybond Water Based Contact Adhesive (Natural)	375 Sq. Ft./Gal
HY31N05G	5 Gallon	Hybond Water Based Contact Adhesive (Natural)	1,875 Sq. Ft
HY31G01W	1 Gallon	Hybond Water Based Contact Adhesive (Green)	375 Sq. Ft./Gal
HY31G05G	5 Gallon	Hybond Water Based Contact Adhesive (Green)	1,875 Sq. Ft



HIGH SOLIDS CONTACT ADHESIVE

PRODUCT NUMBER	SIZE	DESCRIPTION
HYCF88TP	15 LB Canister (Natural) Trial Pack	CF-88 TRIAL PACK Natural ContAdhesive Includes Gun/Hose
HYCF88CL	27 LB Canister (Clear)	Hybond CF-88 High Solids Clear Contact Adhesive
HYCF88R	27 LB Canister (Red)	Hybond CF-88 High Solids Red Contact Adhesive





Scan to visit our Peterman Lumber website for details and current pricing

INTEGRA COLOR MATCHING ADHESIVES

NAME	COLOR #	PRODUCT COLOR MATCH	DESCRIPTION	PART #
Alabaster	0010	Formica	250ml Cartridge	INT0010
Beach	2065	Formica Meganite	250ml Cartridge	INT2065
Bisque	0030	Formica Meganite	250ml Cartridge	INT0030
Bone	0040	Formica	250ml Cartridge	INT0040
Brie	3105	Meganite	250ml Cartridge	INT3105
Bright White	3011	Formica Meganite	250ml Cartridge	INT3011
Cloud	3063	Formica	250ml Cartridge	INT3063
Fieldstone	3246	Meganite	250ml Cartridge	INT3246
Glacier White	3006	Formica	250ml Cartridge	INT3006
Jet Black	0100	Formica	250ml Cartridge	INT0100
Khaki	0110	Formica	250ml Cartridge	INT0110
Natural	0130	Meganite	250ml Cartridge	INT0130
Neutral	3029	Formica	250ml Cartridge	INT3029
Newgale Grey	2340	Formica	250ml Cartridge	INT2340
Pearl	0150	Formica	250ml Cartridge	INT0150
Pewter	0160	Meganite	250ml Cartridge	INT0160
Pure White	0190	Meganite	250ml Cartridge	INT0190
Snow White	0230	Formica Meganite	250ml Cartridge	INT0230
Storm Grey	2402	Meganite	250ml Cartridge	INT2402
Tidal Sand	0250	Formica	250ml Cartridge	INT0250
Transparent Black	0260	Formica	250ml Cartridge	INT0260
Transparent White	0271	Formica Meganite	250ml Cartridge	INT0271
Warm Grey	0290	Formica	250ml Cartridge	INT0290
White	2420	Formica Meganite	250ml Cartridge	INT2420
White Chocolate	0300	Formica Meganite	250ml Cartridge	INT0300
White Linen	0310	Formica Meganite	250ml Cartridge	INT0310
Zenith	3276	Meganite	250ml Cartridge	INT3276
Dispensing Gun			250ml Cartridge	INT-DIS
Mix Tips			X-Stream Static Mixer Tip	INT-SM












GOLA HANDLE FREE INTEGRATED HARDWARE SYSTEM


GOLA HORIZONTAL C PROFILE


PRODUCT NUMBER	LENGTH	DESCRIPTION	FINISH
SI8007CA	9ft	Gola C Profile	Clear Anodized
SI8007ST	9ft	Gola C Profile	Stainless Steel
SI8007BLK	9ft	Gola C Profile	Black
SI8007LST	9ft	Gola C Profile - LED	Stainless Steel
SI8007LBLK	9ft	Gola C Profile - LED	Black
SIIC8007CA	-	Gola 90° Internal Corner	Clear Anodized
SIIC8007ST	-	Gola 90° Internal Corner	Stainless Steel
SIIC8007BLK	-	Gola 90° Internal Corner	Black
SIEC8007CA	-	Gola 90° External Corner	Clear Anodized
SIEC8007ST	-	Gola 90° External Corner	Stainless Steel
SIEC8007BLK	-	Gola 90° External Corner	Black
SIEC8007LST	-	Gola 90° External Corner - LED	Stainless Steel
SIEC8007LBLK	-	Gola 90° External Corner - LED	Black
SICEC8007CA	-	Gola Closed End Clip	Clear Anodized
SICEC8007ST	-	Gola Closed End Clip	Stainless Steel
SICEC8007BLK	-	Gola Closed End Clip	Black
SICEC8007LST	-	Gola Closed End Clip - LED	Stainless Steel
SICEC8007LBLK	-	Gola Closed End Clip - LED	Black
SIGFXKITSCREW	-	Gola Support (Screw Type)	Black
SIGFXKIT	-	Gola Support (Dowel Type)	Black

GOLA UPPER CABINET PROFILE

PRODUCT NUMBER	LENGTH	DESCRIPTION	FINISH	
SI1730ST	9ft	GOLA "UPPER" PROFILE	S/STEEL	
SI1730L	9ft	GOLA "UPPER" PROFILE - LED	S/STEEL	













GOLA LED HANDLE FREE INTEGRATED HARDWARE

<u>GOLA HORIZONTAL L PROFILE</u>


PRODUCT NUMBER	LENGTH	DESCRIPTION	FINISH
SI8006CA	9ft	Gola L Profile	Clear Anodized
SI8006ST	9ft	Gola L Profile	Stainless Steel
SI8006BLK	9ft	Gola L Profile	Black
SI8006LST	9ft	Gola L Profile - LED	Stainless Steel
SI8006LBLK	9ft	Gola L Profile - LED	Black
SIIC8006CA	-	Gola 90° Internal Corner	Clear Anodized
SIIC8006ST	-	Gola 90° Internal Corner	Stainless Steel
SIIC8006BLK	-	Gola 90° Internal Corner	Black
SIEC8006CA	-	Gola 90° External Corner	Clear Anodized
SIEC8006ST	-	Gola 90° External Corner	Stainless Steel
SIEC8006BLK	-	Gola 90° External Corner	Black
SIEC8006LST	-	Gola 90° External Corner - LED	Stainless Steel
SIEC8006LBLK	-	Gola 90° External Corner - LED	Black
SICEC8006CA	-	Gola Closed End Clip	Clear Anodized
SICEC8006ST	-	Gola Closed End Clip	Stainless Steel
SICEC8006BLK	-	Gola Closed End Clip	Black
SICEC8006LST	-	Gola Closed End Clip - LED	Stainless Steel
SICEC8006LBLK	-	Gola Closed End Clip - LED	Black
SIGFXKITSCREW	-	Gola Support (Screw Type)	Black
SIGFXKIT	-	Gola Support (Dowel Type)	Black

GOLA VERTICAL PROFILES

PRODUCT NUMBER	LENGTH	DESCRIPTION	FINISH
SI8018ST	9ft	Gola Vertical Single Profile	Stainless Steel
SI8018BLK	9ft	Gola Vertical Single Profile	Black
SI8018LST	9ft	Gola Vertical Single Profile - LED	Stainless Steel
SI8018LBLK	9ft	Gola Vertical Single Profile - LED	Black
SI8012ST	9ft	Gola Vertical Double Profile	Stainless Steel
SI8012BLK	9ft	Gola Vertical Double Profile	Black
SI8012LST	9ft	Gola Vertical Double Profile - LED	Stainless Steel
SI8012LBLK	9ft	Gola Vertical Double Profile - LED	Black















FILO & KARMEN FINGER PULL SYSTEM

SIZE

106 1/4"

106 1/4"

106 1/4"

106 1/4"

PRODUCT NUMBER

SIFILO27ST

SIFILO27CA

SIKARMEN27CA

SIKARMEN27CA



FINISH

S/Steel

Clear Ano

S/Steel

Clear Ano

LOLA SCALED TO LENGTH PULLS

PRODUCT NUMBER	SIZE
SILOLA3018BR	117/8"
SILOLA340BR	137/8"
SILOLA378BR	14 7/8"
SILOLA416BR	16 3/8"
SILOLA45425BR	17 7/8"
SILOLA5304BR	20 7/8"
SILOLA6066BR	23 7/8"
SILOLA759BR	29 7/8"
SILOLA8352BR	32 7/8"
SILOLA9114BR	35 7/8"
SILOLA9876BR	38 7/8"
SILOLA1140BR	44 7/8"
SILOLA12162BR	47 7/8
SILOLA3018ST	117/8"
SILOLA340ST	137/8"
SILOLA378ST	147/8"
SILOLA416ST	16 3/8"
SILOLA45425ST	17 7/8"
SILOLA5304ST	207/8"
SILOLA6066ST	237/8"
SILOLA759ST	297/8"
SILOLA8352ST	32 7/8"
SILOLA9114ST	35 7/8"
SILOLA9876ST	38 7/8"
SILOLA1140ST	44 7/8"
SILOLA12162ST	47 7/8"



Scan to visit our Peterman Lumber website for details and current pricing





DESCRIPTION

FILO PULL S/STEEL

FILO PULL CLEAR ANODIZED

KARMEN PULL CLEAR ANODIZED

KARMEN PULL S/STEEL



DESCRIPTION	FINISH
LOLA PULL BRILL FINISH	BRILL
LOLA PULL S/STEEL	S/STEEL





PULL HANDLES

PRODUCT NUMBER

P106SN

BP1096SN

BP1096BK

BP108SN

BP108BK

BAR PULL HANDLE



CENTER-TO-CENTER

3"

96mm

96mm

5"

5"

KNOBS

DIE CAST KNOBS

PRODUCT NUMBER	DESCRIPTION	LENGTH	WIDTH	CENTER TO CENTER
KN910SN	30mm Diecast Knob Satin Nickel	1-1/16" dia	30mm	N/A
KN910BK	30mm Diecast Knob Matte Black	1-1/16" dia	30mm	N/A



MODERN SQUARE PULL HANDLE

PRODUCT NUMBER DESCRIPTION		LENGTH	WIDTH	CENTER TO CENTER
BP87226SN	Modern Square Pull 96mm CC Satin Nickel	4-1/4"	9.8mm	96mm
BP87226BK	Modern Square Pull 96mm CC Matte Black	4-1/4"	9.8mm	96mm
BP87227SN Modern Square Pull 128mm CC Satin Nickel		5-1/2"	9.8mm	128mm
BP87227BK	Modern Square Pull 128mm CC Matte Black	5-1/2"	9.8mm	128mm

LENGTH

6"

6"

6"

6"

8"

WIDTH


12mm

12mm

12mm

12mm

12mm



DESCRIPTION

Bar Pull 6" Satin Nickel

Bar Pull 6" Satin Nickel

Bar Pull 6" Matte Black

Bar Pull 8" Satin Nickel

Bar Pull 8" Matte Black

Lanna

SQUARE EDGE PULL HANDLE

PRODUCT NUMBER	DESCRIPTION	LENGTH WIDT		CENTER TO CENTER
BP80572SN	Slim Edge Square Pull 96mm C/C Satin Nickel	4-3/4"	8.2mm	96mm
BP81572SN	Slim Edge Square Pull 128mm C/C Satin Nickel	5-7/8"	8.5mm	128mm



WIRE PULL HANDLE

PRODUCT NUMBER	DESCRIPTION	LENGTH	WIDTH	CENTER TO CENTER
BP396SN	Wire Pull 96mm CC Satin Nickel	4"	8mm	96mm









SALICE



KNAPE AND VOGT

TRU-TRAC

PRODUCT NUMBER	LENGTH
KVTT100B10	10"
KVTT100B12	12"
KVTT100B14	14"
KVTT100B16	16"
KVTT100B18	18"
KVTT100B20	20"
KVTT100B22	22"
KVTT100B24	24"
KVTT100B26	26"
KVTT100B28	28"
56BRACKETPR	PAIR
46BRACKET	Pair

E det a 5.2 ml 10

<u>G SLIDE</u>

PRO	DUCT NUMBER	ITEM
	KVGS427012	12"
	KVGS427014	14"
	KVGS427016	16"
	KVGS427018	18"
	KVGS427020	20"
	KVGS427022	22"
	KVGS427024	24"
	KVGS427026	26"
	KVGS427028	28"

(s)_)/		COLD-CHLASSING MARKET
4-10	The second	-1
KON I NY		

PRODUCT NUMBER	SIZE	DESCRIPTION
SALUM9	9" / 229mm	SALICE FF SOFT CLOSE UNDERMOUNT SLIDE (PAIR)
SALUM12	12" / 305mm	SALICE FF SOFT CLOSE UNDERMOUNT SLIDE (PAIR)
SALUM15	15"/381mm	SALICE F/E SOFT CLOSE UNDERMOUNT SLIDE
SALUM18	18"/457mm	SALICE FF SOFT CLOSE UNDERMOUNT SLIDE
SALUM21	21" / 533mm	SALICE FF SOFT CLOSE UNDERMOUNT SLIDE



SALRMB: STANDARD STEEL SOCKET

PRODUCT NUMBER	\$IZE	DESCRIPTION
SALSWCLIP	PAIR	SALICE LOCKING CLIP 1 WAY ADJUST L&R
SAL6WCLIP	PAIR	SALICE LOCKING CLIP 6 WAY ADJUST L&R
SALRMB	EACH	SALICE REAR METAL SOCKET S/C U/M EACH





Scan to visit our Peterman Lumber website for details and current pricing



DESCRIPTION

KV FULL EXT 100# BALL BEARING SLIDE REAR BRACKETS (IMPORTS, KV) REAR BRACKETS (DYNA/KV)





DESCRIPTION

12" SOFT CLOSE B/B FULL EXT 14" SOFT CLOSE B/B FULL EXT 16" SOFT CLOSE B/B FULL EXT 18" SOFT CLOSE B/B FULL EXT 20" SOFT CLOSE B/B FULL EXT 22" SOFT CLOSE B/B FULL EXT 24" SOFT CLOSE B/B FULL EXT 26" SOFT CLOSE B/B FULL EXT 28" SOFT CLOSE B/B FULL EXT



KNAPE AND VOGT



SCREWS

ASSEMBLY SCREW COMBO FLAT HEAD WITH NIBS, TYPE 17

PRODUCT NUMBER	SIZE	DESCRIPTION	BOX CT
Q\$1245	#8×1"	ASSEMBLY SCREW COMBO	11000
Q\$2477	#8×1"	ASSEMBLY SCREW COMBO	1000
Q\$1247	#8 x 1-1/4"	ASSEMBLY SCREW COMBO	9000
Q\$2478	#8 x 1-1/4"	ASSEMBLY SCREW COMBO	1000
Q\$1250	#8 x 1-1/2"	ASSEMBLY SCREW COMBO	7000
Q\$2482	#8 x 1-1/2"	ASSEMBLY SCREW COMBO	1000
Q\$1252	#8 x 1-5/8"	ASSEMBLY SCREW COMBO	6000
QS2483	#8 x 1-5/8"	ASSEMBLY SCREW COMBO	1000
QS2484	#8 × 2"	ASSEMBLY SCREW COMBO	1000
QS2485	#9 x 2-1/2"	ASSEMBLY SCREW COMBO	500
Q\$2486	#9 x 3"	ASSEMBLY SCREW COMBO	500

ASSEMBLY SCREW PHILLIPS FLAT HEAD WITH NIBS, TYPE 17

PRODUCT NUMBER	SIZE	DESCRIPTION	BOX CT
Q\$9005	#8 x 1"	ASSEMBLY SCREW PHIL	11000
Q\$9124	#8 x 1"	ASSEMBLY SCREW PHIL	1000
Q\$9006	#8 x 1-1/4"	ASSEMBLY SCREW PHIL	9000
Q59126	#8 x 1-1/4"	ASSEMBLY SCREW PHIL	1000
Q\$9007	#8 x 1-1/2"	ASSEMBLY SCREW PHIL	7000
QS9127	#8 x 1-1/2"	ASSEMBLY SCREW PHIL	1000
Q\$9008	#8 x 1-5/8"	ASSEMBLY SCREW PHIL	6000
Q\$9128	#8 x 1-5/8"	ASSEMBLY SCREW PHIL	1000
Q\$9009	#8 x 1-3/4"	ASSEMBLY SCREW PHIL	5000
Q\$9129	#8 x 1-3/4"	ASSEMBLY SCREW PHIL	1000
Q\$9010	#8 x 2"	ASSEMBLY SCREW PHIL 4K	4000
QS9131	#8 x 2"	ASSEMBLY SCREW PHIL 1K	1000
Q\$9012	#9 x 2-1/2"	ASSEMBLY SCREW PHIL 2.5K	2500
Q\$9134	#9 x 2-1/2"	ASSEMBLY SCREW PHIL 500 BX	500
Q\$9013	#9 x 3"	ASSEMBLY SCREW PHIL	2000
Q\$9135	#9 x 3"	ASSEMBLY SCREW PHIL	500

KV 8400 AND 8405 SERIES		
PRODUCT NUMBER	LENGTH	DESCRIPTION
KV8400B8	8"	DRAWER SLIDE - 8" 100# F/EXT
KV8405B10	10"	DRAWER SLIDE - 10" 100# F/EXT OT
KV8405B12	12"	DRAWER SLIDE - 12" 100# F/EXT OT
KV8405B14	14"	DRAWER SLIDE - 14" 100# F/EXT OT
KV8405B16	16"	DRAWER SLIDE - 16" 100# F/EXT OT
KV8405B18	18"	DRAWER SLIDE - 18" 100# F/EXT OT 10
KV8405B20	20"	DRAWER SLIDE - 20" 100# F/EXT OT
KV8405B22	22"	DRAWER SLIDE - 22" 100# F/EXT OT
KV8405B24	24"	DRAWER SLIDE - 24" 100# F/EXT OT
KV8405B26	26"	DRAWER SLIDE - 26" 100# F/EXT OT



28"

8450FM, SOFT-CLOSE DRAWER SLIDE

KV8405B28

PRODUCT NUMBER	LENGTH	DESCRIPTION	
KV8450FMB12	12"	12" SOFT CLOSE B/B FULL EXT	
KV8450FMB14	14"	14" SOFT CLOSE B/B FULL EXT	
KV8450FMB16	16"	16" SOFT CLOSE B/B FULL EXT	
KV8450FMB18	18"	18" SOFT CLOSE B/B FULL EXT	
KV8450FMB20	20"	20" SOFT CLOSE B/B FULL EXT	
KV8450FMB22	22"	22" SOFT CLOSE B/B FULL EXT	
KV8450FMB24	24"	24" SOFT CLOSE B/B FULL EXT	
KV8450FMB26	26"	26" SOFT CLOSE B/B FULL EXT	
KV8450FMB28	28"	28" SOFT CLOSE B/B FULL EXT	





DRAWER SLIDE - 28" 100# F/EXT OT

Scan to visit our Peterman Lumber website for details and current pricing



Battitte

SCREWS



DRAWER FRONT ADJUSTING PHILLIPS LARGE RWH TYPE 17

PRODUCT NUMBER	LENGTH
QS9147	#8 x 7/8"
QS9148	#8×1"
QS9149	#8 × 1-1/8"
Q\$9150	#8 x 1-1/4"

DRYWALL SCREWS	
PRODUCT NUMBER	SIZE
QS9718	#6 × 1"
Q\$9684	#6 x 1-1/4"
Q\$9720	#6 x 1-1/4"
Q\$9741	#6 x 1-1/2"
QS6614	#6 x 1-1/2"
QS9685	#6 x 1-5/8"
QS9721	#6 x 1-5/8"
Q\$9722	#6 x 2"
QS9724	#8 × 2-1/2"
Q\$9725	#8 × 3"

EURO SCREWS POZI FLAT HEAD Herere

PRODUCT NUMBER	LENGTH
Q\$1220	6.3 X 10MM (3/8")
Q\$6019	6.3 x 11.5MM (7/16")
Q\$6020	6.3 x 13MM (1/2")
Q\$11735	6.3 x 14.5MM (9/16")



Scan to visit our Peterman Lumber website for details and current pricing

		ų.	
PRODUCT NUMBER	SIZE	DESCRIPTION	BOX CT
Q\$12330	#14×3"	CAB INSTALL SCREW	100
CABINET INSTALLATION SCREV	W PHILLIPS TRUSS HE	<u>4D</u>	
PRODUCT NUMBER	SIZE	DESCRIPTION	BOX CT
QS11282	#14 × 3"	CAB INSTALL SCREW 100/BX	100
CABINET INSTALLATION SCRE	W QUICKCUTTER COME	BO ROUND WASHER HEAD	
PRODUCT NUMBER	SIZE	DESCRIPTION	BOX CT
Q\$7638	#10 x 1-1/2"	INSTALL SCREW	100
Q\$8336	#10 x 2-1/2"	CAB INSTALL SCREW	50
Q\$8335	#10 x 2-1/2"	CAB INSTALL SCREW	500
Q\$8338	#10 x 3"	CAB INSTALL SCREW	50
Q\$8337	#10 × 3"	CAB INSTALL SCREW	500
CABINET INSTALLATION SCRE	W QX2 MULTIPURPOSE	()	

6------

CABINET INSTALLATION SCREW 0X2 MULTIPURPOSE

CABINET INSTALLATION SCREW FOR METAL STUDS

PRODUCT NUMBER	SIZE	DESCRIPTION	BOX CT
Q\$9450	#14 × 3"	CAB INSTALL SCREW	100
Q\$9452	#14 × 4"	CAB INSTALL SCREW	50

COMBO TRUSS HEAD DECORATIVE HARDWARE INSTALLATION SCREWS ----

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
Q\$1208	#8-32 x 3/4"	DECORATIVE HARDWARE SCREW	100
Q\$1209	#8-32 x 7/8"	DECORATIVE HARDWARE SCREW	100
Q51210	#8-32 × 1"	DECORATIVE HARDWARE SCREW	100
Q\$1211	#8-32 x 1-1/8"	DECORATIVE HARDWARE SCREW	100
Q\$1212	#8-32 x 1-1/4"	DECORATIVE HARDWARE SCREW	100
Q\$1213	#8-32 x 1-3/8"	DECORATIVE HARDWARE SCREW	100
Q\$1214	#8-32 x 1-1/2"	DECORATIVE HARDWARE SCREW	100
Q\$1215	#8-32 x 1-5/8"	DECORATIVE HARDWARE SCREW	100
Q51216	#8-32 x 1-3/4"	DECORATIVE HARDWARE SCREW	100
QS1218	#8-32 x 2"	DECORATIVE HARDWARE SCREW	100

DESCRIPTION	BOX CT
DRAWER FRONT ADJ SCREW	1000

Conception of the local division of the loca

DESCRIPTION	BOX CT
DRYWALL SCREWS	1000
DRYWALL SCREWS	8000
DRYWALL SCREWS	1000
DRYWALL SCREWS	6000
DRYWALL SCREWS	1000
DRYWALL SCREWS	5000
DRYWALL SCREWS	1000
DRYWALL SCREWS	1000
DRYWALL SCREWS	500
DRYWALL SCREWS	500

DESCRIPTION	BOX CT
EURO SCREWS POZI FLAT	1000



PHILLIPS FLAT HEAD HARDWARE SCREWS Benefatatara-

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
Q51233	#6 x 1/2"	HARDWARE SCREW PH FLAT	1000
Q\$1187	#6 X 5/8"	HARDWARE SCREW PH FLAT	1000
Q\$1189	#6 x 3/4"	HARDWARE SCREW PH FLAT	1000
Q\$5786	#6×1"	HARDWARE SCREW PH FLAT	1000

PHILLIPS LOW PROFILE ROUND WASHER HEAD DRAWER SLIDE SCREWS (miniping

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
Q\$8810	#8 x 7/16"	DRAWER SLIDE SCREW PH RW	1000
Q\$9123	#8 x 7/16"	DRAWER SLIDE SCREW PH RW	100
Q\$6271	#8 x 1/2"	DRAWER SLIDE SCREW PH RW	1000

PHILLIPS PAN HEAD EDGE SCREWS

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
Q\$8092	#6 x 1/2"	HARDWARE SCREW PH PAN	1000
Q\$8094	#8 x 5/8"	HARDWARE SCREW PH PAN	1000
Q\$8096	#8 x 5/8"	HARDWARE SCREW PH PAN	1000
Q\$8099	#8 x 3/4"	HARDWARE SCREW PH PAN	1000

POCKETHOLE SCREWS PHILLIPS PAN HEAD

PRODUCT NUMBER	SIZE	DESCRIPTION	BOX CT
Q\$5963	#6 x 1-1/4"	POCKETHOLE SCREW PHIL PN	1000

POCKETHOLE SCREWS SQUARE MODIFIED PAN FINE THREAD

PRODUCT NUMBER	SIZE	DESCRIPTION	BOX CT
Q\$11817	#6×1"	POCKETHOLE SCREW SQ FN	1000
Q\$3655	#6 x 1-1/4"	POCKETHOLE SCREW SQ FN	1000
Q\$3656	#6 x 1-1/2"	POCKETHOLE SCREW SQ FN 1000	1000
Q\$2724	#6 x 1-1/2"	POCKETHOLE SCREW SQ FN	7000



POCKETHOLE SCREWS SQUARE MODIFIED PAN COARSE THREAD

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
Q\$11819	#7-12 x 1"	POCKETHOLE SCREW SQ COARSE	1000
Q\$5598	#7 x 1-1/4"	POCKETHOLE SCREW SQ COARSE	1000
Q\$5599	#7 x 1-1/2"	POCKETHOLE SCREW SQ COARSE	1000

POCKETHOLE SCREWS SQUARE MODIFIED PAN HI-LO THREAD

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
QS5600	#7 x 1-1/4"	POCKETHOLE SCREW SQ HILO	1000
QS5601	#7 x 1-1/2"	POCKETHOLE SCREW SQ HILO	1000

POCKETHOLE SCREWS SQUARE ROUND WASHER HEAD COURSE THREAD

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
QS4547	#8 x 1-1/4"	POCKETHOLE SCREW SQ W COARSE	8000
Q\$7844	#8 x 1-1/4"	POCKETHOLE SCREW SQ W COARSE	1000
Q\$9157	#8 x 1-1/2"	POCKETHOLE SCREW SQ W COARSE	1000

POCKETHHOLE SCREWS SQUARE ROUND WASHER HEAD FINE THREAD

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
Q\$5285	#7 x 1-1/4"	POCKETHOLE SCREW SQ W FINE THREAD	6000
Q\$9158	#7 x 1-1/4"	POCKETHOLE SCREW SQ W FINE THREAD	1000
Q\$9159	#7 × 1-1/2"	POCKETHOLE SCREW SQ W FINE THREAD	1000



Scan to visit our Peterman Lumber website for details and current pricing

FASTENERS

DRIVE BITS



STAPLES

<u>UNICATCH 18 GAUGE F BRADS</u>

PRODUCT NUMBER	LENGTH
MAXBNAIL050	1/2"X18g
MAXBNAIL1	1"X18g
MAXBNAIL114	1-1/4X18g
MAXBNAIL150	1-1/2X18g
MAXBNAIL134	1-3/4X18g
MAXBNAIL2	2"X18g



UNICATCH 23 GAUGE MICRO PINS

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
MAXMPH75	3/4X23g	3/4" MICRO PINNER HEADLESS 23 GAUGE	10k/bx
MAXMPH78	7/8X23g	7/8" MICRO PINNER HEADLESS 23 GAUGE	5k/bx
MAXMPH100	1"X23g	1" MICRO PINNER HEADLESS 23 GAUGE	10k/bx
MAXMPH1316	1-3/16X23g	1-3/16 MICRO PINNER HEADLESS 23 GAUGE	10k/bx
MAXMPH138	1-3/8X23g	1-3/8 MICRO PINNER HEADLESS 23 GAUGE	10k/bx
MAXMPH150	1-1/2X23g	1-1/2 MICRO PINNER HEADLESS 23 GAUGE	10k/bx



SQUARE/PHILLIPS DRIVE POWER BIT

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
QS13112P	CO#2 x 1"	COMBO DRIVE BIT 10/PACK	10
QS13114P	CO#2 x 2-3/4"	COMBO DRIVE BIT 10/PACK	10



PHILLIPS DRIVE BIT

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
QS11760P	P2 X 1"	PHILLIPS BIT 10/PACK	10
Q\$12691P	P2 X 2-3/4"	PHILLIPS MAG BIT 10/PACK	10
QS12694P	P2 X 6"	PHILLIPS MAG BIT 10/PACK	10



SQUARE DRIVE INSERT BITS

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
QS11778P	SQ2 X 1"	SQUARE BIT 10/PACK	10
Q\$12696P	SQ2 X 2-3/4"	SQUARE MAG BIT 10/PACK	10
Q\$12698P	SQ2 X 6"	SQUARE MAG BIT 10/PACK	10





BOX CT
5k/bx

STAPLES


UNICATCH 1/4" STAPLES

PRODUCT NUMBER	LENGTH	DESCRIPTION	BOX CT
MAXST141	1/4" CR x 1" L	STAPLE 18 GAUGE (5K/BX)	5k/bx
MAXST14112	1/4" CR x 1-1/2" L	STAPLE 18 GAUGE (5K/BX)	5k/bx
MAXST14114	1/4" CR x 1-1/4" L	STAPLE 18 GAUGE (5K/BX)	5k/bx
MAXST14118	1/4" CR x 1-1/8" L	STAPLE 18 GAUGE (5K/BX)	5k/bx
MAXST1412	1/4" x 1/2"	STAPLE 18 GAUGE (5K/BX)	5k/bx
MAXST1434	1/4" CR x 3/4" L	STAPLE 18 GAUGE (5K/BX)	5k/bx
MAXST1458	1/4" CR x 5/8" L	STAPLE 18 GAUGE (5K/BX)	5k/bx
MAXST1478	1/4" CR x 7/8" L	STAPLE 18 GAUGE (5K/BX)	5k/bx



UNICATCH 7/16" STAPLES

PRODUCT NUMBER	SIZE	DESCRIPTION	BOX CT
MAXST716112	7/16" CR x 1-1/2" L	STAPLE 16 GAUGE (5K/BX)	10k/bx
MAXST716114	7/16" CR x 1-1/4" L	STAPLE 16 GAUGE (5K/BX)	10k/bx
MAXST716134	7/16" CR x 1-3/4" L	STAPLE 16 GAUGE (5K/BX)	10k/bx
MAXST7162	7/16" CR x 2" L	STAPLE 16 GAUGE (5K/BX)	10k/bx





Fastening Systems

Scan to visit our Peterman Lumber website for details and current pricing

SALICE SOFT CLOSE HINGES

SILENTIA + 100 SERIES 105 DEGREE OPENING - STANDARD APPLICATION

PRODUCT NUMBER	OVERLAY	
C1P6AE9	FULL OVERLAY	
C1R6AE9	FULL OVERLAY	
C176AE9	FULL OVERLAY	
C1J6AE9	FULL OVERLAY	
C1P6DE9	1/2" OVERLAY	10
C1R6DE9	1/2" OVERLAY	10
C1R6GE9	HALF OVERLAY	
C1R6PE9	INSET	





SILENTIA + 100 SERIES 105 DEGREE OPENING - POSITIVE ANGLED APPLICATION

PRODUCT NUMBER	OVERLAY
C1P6ME9AC	ANGLED OVERLAY



PF

SILENTIA + 100 SERIES 105 DEGREE OPENING - INSET BLIND CORNER HINGE

RODUCT NUMBER	OVERLAY
C1P6NE9AC	Blind Corner Flush





DESCRIPTION

105º HINGE F/O SOFT CLOSE SCREW ON 1050 HINGE F/O SOFT CLOSE W/DOWELLS 1050 HINGE F/O SOFT CLOSE RAPIDO 1050 HINGE F/O SOFT CLOSE LOGICA 1050 HINGE 1/2" O/L SOFT CLOSE NO DOWELL 050 HINGE 1/2" OVRLAY SOFT CLOSE W/DOWEL 1050 HINGE H/O SOFT CLOSE W/DOWEL 1050 HINGE INSET SOFT CLOSE W/DOWEL





DESCRIPTION

450 Hinge Soft Close Screw on

DESCRIPTION

Blind Corner Flush Soft Close Screw on



SALICE SOFT CLOSE HINGES



SILENTIA + 700 SERIES 110 DEGREE OPENING - STANDARD APPLICATION

PRODUCT NUMBER	OVERLAY	DESCRIPTION
C7P6AE9	FULL OVERLAY	1100 HINGE F/O SOFT CLOSE SCREW ON
C7R6AE9	FULL OVERLAY	1100 HINGE F/O SOFT CLOSE W/DOWELLS
C776AE9	FULL OVERLAY	1100 HINGE F/O SOFT CLOSE RAPIDO
C7J6AE9	FULL OVERLAY	1100 HINGE F/O SOFT CLOSE LOGICA
C7P6DE9	1/2" OVERLAY	1100 HINGE 1/2" O/L SOFT CLOSE NO DOWELL
C7R6DE9	1/2" OVERLAY	1100 HINGE 1/2" OVRLAY SOFT CLOSE W/DOWEL
C7R6GE9	HALF OVERLAY	1100 HINGE H/O SOFT CLOSE W/DOWEL
C7R6PE9	INSET	1100 HINGE INSET SOFT CLOSE W/DOWEL









SILENTIA + 200 SERIES 94 DEGREE OPENING - POSITIVE ANGLED APPLICATION

PRODUCT NUMBER	OVERLAY	DESCRIPTION
C2PBAE9	FULL OVERLAY	THICK 940 F/O SOFT CLOSE SCREWON
C2RBAE9	FULL OVERLAY	THICK 940 F/O SOFT CLOSE W/DOWELS
C2RBGE9	HALF OVERLAY	THICK 940 H/O SOFT CLOSE W/DOWELS
C2RBPE9	INSET	THICK 940 INSET SOFT CLOSE W/DOWELS





SILENTIA + 200 SERIES 155 DEGREE OPENING - STANDARD APPLICATION

PRODUCT NUMBER	OVERLAY
C2RKAE9	FULL OVERLAY
S2AF37X3	RESTRICTOR





SALICE SELF CLOSE HINGES

SILENTIA + 200 SERIES 110 DEGREE OPENING - STANDARD APPLICATION

PRODUCT NUMBER	OVERLAY
C2P6A99	FULL OVERLAY
C2R6A99	FULL OVERLAY
C2P6D99	1/2" OVERLAY
C2R6D99	1/2" OVERLAY
C2R6G99	HALF OVERLAY
C2R6P99	INSET







Scan to visit our Peterman Lumber website for details and current pricing



DESCRIPTION

155o Zero Protrusion Soft Close w/Dowel

Reduction Pin 125o For 155/165o

DESCRIPTION

110o Full Overlay Self Close Screwon

1100 Full Overlay Self Close Screwon

110o 1/2" Overlay Self Close Screwon

110o 1/2" Overlay Self Close Screwon

110o H/O Self Close w/Dowels

110o H/O Self Close w/Dowels





SALICE SELF CLOSE HINGES



SILENTIA + 200 SERIES 120 DEGREE OPENING - STANDARD APPLICATION

PRODUCT NUMBER	OVERLAY	DESCRIPTION
C2P9A99	FULL OVERLAY	120o F/O Self Close Screwon
C2R9A99	FULL OVERLAY	120o F/O Self Close w/Dowels
C2P9D99	1/2" OVERLAY	1200 1/2" Overlay Self Close Screwon
C2R9D99	1/2" OVERLAY	120o 1/2" Overlay Self Close w/Dowel
C2R9G99	HALF OVERLAY	1200 H/O Self Close w/Dowels
C2R8A99	F/O FREESWING	120o Freeswing w/Dowels









SILENTIA + 200 SERIES 165 DEGREE OPENING - STANDARD APPLICATION

PRODUCT NUMBER	OVERLAY	DESCRIPTION
C2PFA99	FULL OVERLAY	1650 F/O Self Close Screwon
C2RFA99	FULL OVERLAY	165o F/O Self Close w/Dowels
C2PFA99KIT	Full Overlay / 4mm FF Plate	1 PAIR HINGE 165o Screwon Self Close W/4mm FFPLATE



SILENTIA + 200 SERIES 70 DEGREE OPENING - STANDARD APPLICATION

PRODUCT NUMBER OVERLAY		OVERLAY DESCRIPTION	
C2PYA99	FULL OVERLAY (5/8")	HINGE BIFOLD SCREWON	
C2RYA99	FULL OVERLAY (5/8")	HINGE BIFOLD SCREWON	
C2RYA99KIT	BIFOLD/0MM EURO PLATE	1 PAIR HINGE LAZY SUSAN (Bifold) - DWL W/0mm Euro PLATE	

SILENTIA + 200 SERIES 94 DEGREE OPENING - STANDARD APPLICATION

PRODUCT NUMBER	OVERLAY
C2PBA99	FULL OVERLAY
C2RBA99	FULL OVERLAY
C2RBG99	HALF OVERLAY
C2RBP99	INSET
S2A637XF	RESTRICTOR





SILENTIA + 200 SERIES 110 DEGREE OPENING - LONG INSET BLIND CORNER HINGES

PRODUCT NUMBER	OVERLAY
C2P6N99AM	OVERLAY

SILENTIA + 200 SERIES 94 DEGREE OPENING - INSET BLIND CORNER HINGES

RODUCT NUMBER	OVERLAY
C2PBN99AC	INSET



Ρ



Scan to visit our Peterman Lumber website for details and current pricing

113 HARDWARE | PETERMANLUMBER.COM



27

DESCRIPTION

Thick 94o F/O Self Close Screwon

Thick 94o F/O Self Close w/Dowels

Thick 94o H/O Self Close w/Dowels

Thick 94o Inset Self Close w/Dowels

Reduction Pin 860 Opening





DESCRIPTION

Blind Corner Overlay Screwon

DESCRIPTION

Blind Corner Inset Screwon

SALICE SELF CLOSE HINGES



Scan to visit our Peterman Lumber website for details and current pricing

SALICE BASE PLATES

EURO FRAMELESS PLATES - 2 CAM

PRODUCT NUMBER	SIZE
BAR3R09	0mm Euro
BAR3R29	2mm Euro
BAR3R39	3mm Euro
BAR3R99	9mm Euro
BAR3RV9	18mm Euro
BARGR0916	Omm Euro Pre
BARGR2916	2mm Euro Pre
BARGR3916	3mm Euro Pre
BARGR9916	9mm Euro Pre
BARGRV916	18mm Euro Pre





FACE FRAME PLATES

PRODUCT NUMBER	SIZE
BAU3L19	1MM
BAU3L49	4MM
BAU3R19	1MM
BAU3R49	4MM
BAU3R69	6MM
BAL3R59	5MM





SILENTIA + 200	SERIES 94 DEGREE	E OPENING - POSITIVE	ANGLED APPLICATION

PRODUCT NUMBER	OVERLAY	DESCRIPTION
C2PBM99AC	45 degree	450 i Hinge Corner Screw on
C2RBM99AC	45 degree	450 i Hinge Corner w/Dowels



SILENTIA + 200 SERIES 94 DEGREE OPENING - POSITIVE ANGLED APPLICATION

PRODUCT NUMBER	OVERLAY	DESCRIPTION
C2PBV99	45 degree	45o ii Hinge Corner Screwon



SALICE BASE PLATES

EURO FRAMELESS PLATES - 1 CAM

PRODUCT NUMBER	SIZE	DESCRIPTION
BAV3M09F	0MM EURO	Omm Steel wood Screw Econo
BAV3M29F	2MM EURO	2mm Steel wood Screw Econo
BAV3M39F	3MM EURO	3mm Steel wood Screw Econo
BAVGM09F16	0MM EURO PRE	0mm Steel Premou. Euro w/Cam Adj
BAVGM29F16	2MM EURO PRE	2mm Steel Premou. Euro w/Cam Adj
BAVGM39F16	3MM EURO PRE	3mm Steel Premou. Euro w/Cam Adj







HINGES AND DOOR SYSTEMS

DESCRIPTION

0mm Die Cast Wood Screw w/Cam adj
2mm Die Cast Wood Screw w/Cam adj
3mm Die Cast Wood Screw w/Cam adj
9mm Die Cast Wood Screw w/Cam adj
18mm Die Cast Wood Screw w/Cam adj
0mm Die Cast Premou. Euro w/Cam Adj
2mm Die Cast Premou. Euro w/Cam Adj
3mm Die Cast Premou. Euro w/Cam Adj
9mm Die Cast Premou. Euro w/Cam Adj
18mm Die Cast Premou. Euro w/Cam Adj

DESCRIPTION

1mm Steel FF Plate w/Cam Adj.

4mm Steel FF Plate w/Cam Adj.

1mm Die Cast FF Plate w/Cam adj.

4mm Die Cast FF Plate w/Cam adj.

6mm Die Cast FF Plate w/Cam adj.

5mm Die Cast FF Plate w/Cam Adj.

SALICE WIND LIFT



PRODUCT NUMBER	SIZE	DESCRIPTION	SPECIFICATIONS
WINDLSCW	FRAKFEXWSN9	Wind Lift Sys "W" Soft Close (White)	1.75-11.5lb / 8-%""- 15-%"" Height
	I		

PRODUCT NUMBER	SIZE	DESCRIPTION	SPECIFICATIONS
WINDLSCD	FRAKFEXDSN9	Wind Lift Sys "D" Soft Close (Yellow)	4-17lb / 18-%"-24" Height

PRODUCT NUMBER	SIZE	DESCRIPTION	SPECIFICATIONS
WINDLSCI	FRAKFEXISN9	Wind Lift Sys "I" Soft Close (Yellow)	10.5-21lb / 12-9/16"-24" Height
いいは	WED		

PRODUCT NUMBER	SIZE	DESCRIPTION	SPECIFICATIONS
WINDLSCF	FRAKFEXFSN9	Wind Lift Sys "F" Soft Close (Black)	18.5-32lb / 12-9/16"-24" Height
	1		

PRODUCT NUMBER	SIZE	DESCRIPTION	SPECIFICATIONS
WINDLSCS	FRAKFEXFSN9	Wind Lift Sys "F" Soft Close (Red)	26-41lb / 12-9/16"-24" Height

WIND COVER FINISHES FOR THE CABINET BASE

PRODUCT NUMBER	SIZE
WINDSMCGR	SRXA78AMSNXXF
WINDSMCGLW	SRXA78AQSNXXF





WIND COVER FINISHES FOR THE TOP MOUNT BRACKET

SIZE
FRAUFEXXSNM
FRAUFEXXSNQ







Scan to visit our Peterman Lumber website for details and current pricing



DESCRIPTION

Wind Side M Cover Set (Grey)

Wind Side M Cover Set (White Gloss)



DESCRIPTION

Wind Top M Cover Set/Adapter (Grey)

Wind Top M Cover Set/Adapter (White Gloss)




CGS HINGES



Hinge Overlay Charts

Face Frame Cabinet O	verlay					
		14	4 15 12	16	17	38





CGS

CLIP-ON CUSHION CLOSE HINGE WITH CAM ADJUSTABLE ARM, 35MM CUP, 45MM C/C P/N PRODUCT DESCRIPTION

PRODUCT NUMBER	OVERLAY	DESCRIPTION
CGSFO2431016 (PRSCH)	Full Overlay/Straight Arm	110 Degree Clip Soft Close Hinge with 8mm Dowels
CGSFO2431019	Full Overlay/Straight Arm	110 Degree Clip Soft Close Hinge Screw on
CGSHO2431017	Half Overlay	110 Degree Clip Soft Close Hinge with 8mm Dowels
CGSIN2431018	Inset.	110 Degree Clip Soft Close Hinge with 8mm Dowels
CGSLG2431055	Full Overlay 165	165 Degree Clip Soft Close Hinge with 8mm Dowels



CLIP-ON SELF CLOSING & FREE SWINGING HINGES WITH CAM ADJUSTABLE ARM, 35MM CUP, 45MM C/C

PRODUCT NUMBER	OVERLAY	DESCRIPTION
CGSFO2431041	Full Overlay/Straight Arm	110 Degree Clip Self Close with 8mm Dowels
CGSFO2431042 (IN649WO)	Full Overlay/Straight Arm	110 Degree Clip Self Close Screw on
CGSHO2431045	Half Overlay	110 Degree Clip Self Close with 8mm Dowels
CGSIN2431047 (IN649INSWO)	Inset	110 Degree Clip Self Close with 8mm Dowels
CGSFS2431043	Full Overlay *Free Swing*	110 Degree Clip Free Swing with 8mm Dowels





Scan to visit our Peterman Lumber website for details and current pricing

ZINC ALLOY CAM ADJUSTABLE FACE FRAME MOUNTING PLATES FOR CLIP-ON*

*attach with #6 x %" Wood Screws (#606N1000)

PRODUCT NUMBER	SIZE	
CGSFFA02432032	0MM	0mm 2
CGSFFA32432033 (PRSCP)	змм	3mm Z



STEEL FACE FRAME MOUNTING PLATE FOR CLIP-ON*

*attach with #6 x %" Wood Screws (#606N1000)

PRODUCT NUMBER	SIZE
CGSFF02432029 (PRSCP58)	0MM
CGSFF32432030 (PRSCP)	3MM



EURO CAM ADJUSTABLE MOUNTING PLATES FOR CLIP-ON*

*attach with #6 x %" Wood Screws (#606N1000)

PRODUCT NUMBER	SIZE
CGSEU02432017 (INS0034)	0MM
CGSEU02432023 (INS0034)	0MM
CGSEU22432024	2MM



COMPACT ONE PIECE CUSHION CLOSE / FACE FRAME SELF-CLOSE HINGE WITH CAM ADJUSTABLE ARM, 35MM CUP, 45MM C/C

SIZE	
1/2" Overlay	11
1/2" Overlay	110
5/8" Overlay	11
	1/2" Overlay 1/2" Overlay





DESCRIPTION

Zinc Cam Adjust Face Frame Mounting plate w/o Scrws

Zinc Cam Adjust Face Frame Mounting plate w/o Scrws

DESCRIPTION

Omm Steel Face Frame Mounting Plate w/o Screws

3mm Steel Face Frame Moutning Plate w/o Screws

DESCRIPTION

OMM EURO PLATE BASIC

Omm Cam Adjustable Mounting Plate, w/o Screws

2mm Cam Adjustable Mounting Plate, w/o Screws

DESCRIPTION

10 Degree Short Arm, Cushion Hinge 1/2" OL w/Dowell

Degree Compact/Short Arm Self Close 1/2" OL w/Dowell

10 Degree Short Arm, Cushion Hinge 5/8" OL w/Dowell

SALICE VIBO / KITCHEN

SIZE

22" D x 11-1/2" W x 24-1/16" H

22" D x 14-1/2" W x 24-1/16" H

17-11/16" D x 15" W x 19-1/2" H

19 5/8" x 12" x 19 1/2

19 5/8"x15"x19 1/2"

19-%" x 18" x 19-½"

19 5/8"x21"x19 1/2"

QPAM128C

QPAM135C

TRASH PULL OUTS

PRODUCT NUMBER

SAL50TCP12

SAL50TCP15

SALUSTCP

SALTCP12

SALTCP15

SALTCP18

SALTCP21

SALTBIN32

SALTBIN35



DESCRIPTION

Salice Single Trash 50Qt 12" W Soft Close

Salice Double Trash 50Qt 15" W Soft Close

Salice Single Trash w/recy 32Qt 15" W Soft Close

Salice Vibo Single Trash 35Qt 12" W

Salice Vibo Double Trash 32Qt 15" W

Salice Vibo Double Trash bins 32Qt 18" W

Salice Vibo Double Trash 32Qt 21" W

Waste Bin Only 32 Qt w/Handles

Waste Bin Only 35 Qt w/Handles

PRIDE INDUSTRIAL

ECONOMICAL LAZY SUSAN

PRODUCT NUMBER	LENGTH
LS18RD.WT	18"
LS24KD.WT	24"
LS24RD.WT	24"
LS28KD.WT	28"
LS28RD.WT	28"
LS32KD.WT	32"





PULL OUT BASE FILLER

PRODUCT NUMBER	SIZE	DESCRIPTION
SALSH4WH	21 3/8" x 4 1/4" x 22 5/8"	Pull-Out Spice Filler 4" White/Chrome
SALSH6WH	21 3/8"x5-3/4"x21"	Pull-Out Spice Filler 6" White/Chrome
SALSH4MP	21 3/8" x 4 1/4" x 22 5/8"	Pull-Out Spice Filler 4" Maple/Champ
SALSH6MP	21 3/8"x5-3/4"x21"	Pull-Out Spice Filler 6" Maple/Champ





Scan to visit our Peterman Lumber website for details and current pricing



ORGANIZERS

PROJECTION	DESCRIPTION
33"	18″ ROUND Lazy Susan White
33"	24" KIDNEY Lazy Susan White
33"	24" ROUND Lazy Susan White
33"	28" KIDNEY Lazy Susan White
33"	28" ROUND Lazy Susan White
33"	32" KIDNEY Lazy Susan White





RETRO FAB - CONCEALED BRACKETS

CONCEALED T BRACKETS

PRODUCT NUMBER	STUD FLANGE	SUPPORT ARM	WEIGHT RATING
CTB14	1/4" x 2" x 12"	3/4" x 3/4" x 14"	550 lbs
CTB21	1/4" x 2" x 16"	3/4" × 3/4" × 21"	380 lbs



FLOATING SHELF BRACKET

PRODUCT NUMBER	STUD FLANGE	SUPPORT ARM	WEIGHT RATING
FSB12	1/4" x 2" x 12"	3/8" x 2" x 12"	525 lbs
FSB18	1/4" x 2" x 12"	3/8" x 2" x 18"	445 lbs



COUNTER SUPPORT BRACKET

PRODUCT NUMBER	STUD FLANGE	SUPPORT ARM	WEIGHT RATING
CSB14	3/8" x 2 1/2" x 6"	3/8" x 2 1/2" x 14"	660 lbs
CSB21	3/8" x 2 1/2" x 6"	3/8" x 2 1/2" x 21"	550 lbs



COUNTER SUPPORT FLAT BAR

PRODUCT NUMBER	LENGTH	DESCRIPTION	WEIGHT RATING
FS18	18"	3/8" x 2" x 18" Flat Support	445 lbs
FS24	24"	3/8" x 2" x 24" Flat Support	445 lbs
FS36	36"	3/8" x 2" x 36" Flat Support	445 lbs
FS48	48"	3/8" x 2" x 48" Flat Support	445 lbs





CLOSET RODS

CLOSET ROD 8FT & 12FT ROUND HEAVY DUTY

PRODUCT NUMBER	LENGTH	WIDTH
CR80CP	8' L	1-5/16"
CR81CP	12' L	1-5/16"
CR80ORB	8' L	1-5/16"

CLOSET ROD 1-5/16 ROUND CENTER SUPPORT

PRODUCT	NUMBE	R LENGTH	WIDTH	CENTER TO) CENTER	SHAP
CRCS	88CP	79mm	64mm	64n	nm	Round
CRCS8	8ORB	79mm	64mm	64n	nm	Round



CLOSET ROD 1-5/16 ROUND SOCKET CLOSED

PRODUCT NUMBER	LENGTH	WIDTH	SHAPE	
CRS85CP	70mm	70mm	Round	CI
CRS85ORB	70mm	70mm	Round	Clos



CLOSET ROD 1-5/16 ROUND SOCKET OPEN END

PRODUCT NUMBER	LENGTH	SHAPE
CRS84CP	1-5/16" DIA OPEN	Round
CRS84ORB	1-5/16" DIA OPEN	Round







SHAPE

Round

Round

Round

DESCRIPTION

CLOSET ROD

CLOSET ROD

CLOSET ROD - Oil Rubbed Bronze

DESCRIPTION

nd Closet Rod 1-5/16 Round Center Support Chrome Plated W/Screws d Closet Rod 1-5/16 Round Center Support Oil Rubbed Bronze W/Screws

DESCRIPTION

Closet Rod 1-5/16 Round Socket Closed Chrome Plated W/Screws

oset Rod 1-5/16 Round Socket Closed Oil Rubbed Bronze W/Screws

SHAPE

DESCRIPTION

CLOSET ROD OPEN - CHROME

CLOSET ROD OPEN - Oil Rubbed Bronze





CLOSET RODS



SHELF SUPPORT

<u>"L" SHAPED SHELF SUPPORT</u>

PRODUCT NUMBER	SIZE	
SS0114NI	1/4" PIN	
SS0114PB	1/4" PIN	
SS015mmNI	5MM PIN	



SPOON SHAPED SHELF SUPPORT

PRODUCT NUMBER	SIZE	
SS2114NI	1/4" PIN	
SS215MMNI	5MM PIN	



SHELF SUPPORT W/ 5MM METAL PIN

PRODUCT NUMBER	SIZE	
SS23WT	5MM PIN	
SS23CL	5MM PIN	

1

THICK CLEAR BUMP-ON



ROD SUPPORT & SHELF BRACKET FOR ROUND ROD

PRODUCT NUMBER	DIMENSIONS	SHAPE	DESCRIPTION
CRSBCH	1" W x 10-%" H x 11-%" D	Round	CLOSET ROD & SHELF SUPPORT BRACKET - CHROME
CRSBORB	1" W x 10-%" H x 11-%" D	Round	CLOSET ROD & SHELF SUPPORT BRACKET - Oil Rubbed Bronze
	7		

CLOSET ROD 8FT & 12 FT OVAL

PRODUCT NUMBER	LENGTH	SHAPE	DESCRIPTION
CR50CP	8'	Oval	CLOSET ROD OVAL - CHROME
CR51CP	12'	Oval	CLOSET ROD OVAL - CHROME
CR50ORB	8'	Oval	CLOSET ROD OVAL - Oil Rubbed Bronze
	10		

CLOSET ROD OVAL SOCKET

PRODUCT NUMBER	TYPE	SHAPE	DESCRIPTION
CRS54CP	Screw On	Oval	Screw On Chrome Plated W/Screws
CRS54ORB	Screw On	Oval	Screw On Oil Rubbed Bronze W/Screws
CRS56CP	W/5MM PINS	Oval	Socket w/ 5mm Pins Chrome Plated W/Screws
CRS56ORB	W/5MM PINS	Oval	Socket w/ 5mm Pins Oil Rubbed Bronze W/Screws
12.1	-		



CLOSET ROD OVAL CENTER SUPPORT

PRODUCT NUMBER	LENGTH	SHAPE	DESCRIPTION
CRCS58CP	CENTER SUPPORT	Oval	Chrome Plated W/Screws
CRCS58ORB	CENTER SUPPORT	Oval	Closet Rod Oval Center Support Oil Rubbed Bronze W/Screws

10 10

ROD SUPPORT & SHELF BRACKET FOR OVAL ROD (US FUTABA)

PRODUCT NUMBER	LENGTH	SHAPE	DESCRIPTION
CRSBOCH	10" X 12"	Oval	Closet Oval Rod & Shelf Support Bracket Chrome Plated
CRSBOORB	10" X 12"	Oval	Closet Oval Rod & Shelf Support Bracket Oil Rubbed Bronze
	1		



Scan to visit our Peterman Lumber website for details and current pricing

125 HARDWARE | PETERMANLUMBER.COM



DESCRIPTION

"L"SHAPED SHELF PIN (NICKEL) 100 PC/BAG

"L"SHAPED SHELF PIN (P/BRASS) 100 PC/BAG

"L" SHAPED SHELF PIN (NICKEL) 100 PC/BAG

DESCRIPTION

SPOON SHELF SUPPORT (NICKEL) 500 PC/BAG

SPOON SHELF SUPPORT-NICKEL PLTD 100/BAG

DESCRIPTION

WHITE SHELF SUPPORT 5mmPIN 100 PER BAG

CLEAR SHELF SUPPORT 5mmPIN 100 PER BAG

DESCRIPTION

BUMPER CLEAR - 450 PER/ SHEET

BUMPER CLEAR - 288 PER/ SHEET





SHELF SUPPORT



SALT PVC TOEKICKS

<u>PVC TOEKICK</u>

PRODUCT NUMBER	SIZE
SICATK10027	4" H x 108" L
SISTTK10027	4" H x 108" L

VARIABLE CORNER CONNECTOR

PRODUCT NUMBER	SIZE	
SICAVDC100	4" H VDC	CL
SISTVDC100	4" H VDC	



90 DEGREE CORNER CONNECTOR

PRODUCT NUMBER	SIZE
SICA90D100	4" H 90o
SIST90D100	4" H 90o



RTA CONNECTOR SCREW M4 THREAD X 15MM LONG

PRODUCT NUMBER	LENGTH	DESCRIPTION
RTASCREW	M4 x 15MM	RTA CONNECTOR SCREW M4 100/PACK
RTASLEEVE27	27MM	RTA CONNECTOR SLEEVE 50/PACK
RTASLEEVE35	35MM	RTA CONNECTOR SLEEVE 50/PACK
0		

"L" BRACKET

PRODUCT NUMBER DESCRIPTION LENGTH LB34ZP 3/4" x 3/4" L BRACKET 50/PACK LB1ZP 1" x 1" L BRACKET 50/PACK 1-1/2" x 1-1/2" LB15ZP L BRACKET 50/PACK LB2ZP 2" x 2 L BRACKET 50/PACK LB3ZP 3" x 3" L BRACKET 50/PACK

MENDING PLATE ZINC PLATED

PRODUCT NUMBER	LENGTH	DESCRIPTION	
MP2ZP	2"	MENDING PLATE ZINC 50/PACK	
MP4ZP	4"	MENDING PLATE ZINC 50/PACK	

LENGTH

1-3/8" X 1-3/8"

....

90 DEGREE CORNER BRACKET



DESCRIPTION CHAIR BRACE PLAIN STEEL 50/PACK

<u>CHAIR BRACE</u>

PRODUCT NUMBER	LENGTH	DESCRIPTION
CHB138	1-3/8" X 1-3/8"	CHAIR BRACE PLAIN STEEL 50/PACK
FIGURE 8		
PRODUCT NUMBER	LENGTH	DESCRIPTION

FIG8

FIGURE 8 - 50/PACK



DESCRIPTION

CLEAR ANODIZED PVC TOE KICK

S/STEEL PVC TOE KICK

DESCRIPTION

LEAR ANODIZED TK VARIABLE DEGREE CORNER

S/STEEL TK VARIABLE DEGREE CORNER

DESCRIPTION

CLEAR ANODIZED TK 90o CORNER

S/STEEL TK 90o CORNER







TOEKICK CONNECTOR

PRODUCT NUMBER	
SICACON100	
SISTCON100	

4" H CON 4" H CON

SIZE

CLEAR ANODIZED TK CONNECTOR S/STEEL TK CONNECTOR

DESCRIPTION



PVC LEG LEVELERS

PRODUCT NUMBER	SIZE	DESCRIPTIONS
SI1004R100	4"- 5.25" ADJ HEIGHT	PVC LEG LEVELER (LEG ONLY) BLACK
SI10050274	SOCKET ONLY	PVC LEG SOCKET BLACK




PVC TOEKICK CLIPS

PRODUCT NUMBER	LENGTH	DESCRIPTION	
SV151CLIP	SNAP TYPE	Dowel-in Toekick Clip (works with PVC Toekicks)	
SI151SCREWCLIP	PART A / PART B	Screw-in Toekick Clip (Works with Wooden Toekicks)	









LUMBER

We are called Peterman Lumber right? Come expecting to see some beautiful high end Hardwoods and Softwoods. There are 2 things in particular that separate Peterman Lumber from other lumber yards. The first is our lumber caters to interior grade or architectural applications and the second is our will call facilities are one of the very few that allow for you to come & hand select your lumber — or have us hand select per your specifications and deliver it directly to you.



With over 100 moulding profiles in stock and capabilities to make any shape you can imagine in any of our lumber selection. We should be your first and favorite stop for stock & custom millwork.



From selecting your own core materials to the veneer or laminate that goes on top, we have you covered for any specification you may need: fire rated, no-added formaldehyde, screw holding capability, lightweight, etc.




Don't end up with a mixed bag of unusable grades. Peterman Lumber looks for more aesthetics over construction. Our vertical grains are export quality and have tighter growth rings and are an attractive material to designers & builders alike.



Peterman has specifications we request over the industry standard where we look for; clarity, widths, color, and specified defects (like figure or rustic grade) to help you achieve your desired look.





VG SOFTWOODS

Veneers





HOW WE STOCK AND PRICE

At Peterman Lumber we have a wide selection of specifications driven hardwoods to achieve the look you are going after. Our stock is geared towards interior architectural applications including cabinetry, furniture, doors, instruments, and other fine woodworking.

1. PREMIUM PULLS

2. COLOR PULLS

Aesthetics outside of grade that Peterman Lumber specifies from our mills: clarity, wide widths, and specified defects.

Where Peterman specifies limited allowable sapwood or heartwood to give you the color consistency you are looking for.

3. WIDE WIDTHS

Different species have different allowable widths. For wider trunked species we do have wide pulls available. Not all trees are created equal, see below:









4. CUT TYPES


5. GRADES


All cuts are plain sawn unless otherwise specified. Some species have vastly different grain patterns depending on how they are cut. Look to see if your species has other cuts like: Quartered or Rift.











Depending on your use of the lumber you may need to specify the grade. Common grades we have available are: clear, rustic, or furniture grade. The more detail you can give our trained reps on your specific needs the easier it will be for us to find you the right grade you are looking for.

WE STOCK 3 ways

BLANKED HIT OR MISS' CUT THAT REMOVES HIGH SPOTS WITHIN SPECIFIED SIZE.	SURFACED Net sized to be the exact size	X Thickness Multiplier
¹⁵ ⁄ ₁₆ "	FON/LV PHX 25/32" 13/16"	1.00
1 ¾16"	1"	1.25
1 7⁄16"	1 1⁄4"	1.50
1 15/16"	1 ¾"	2.00
2 7⁄16"	2"	2.50
2 ¹⁵ ⁄16"	2 1⁄2"	3.00
3 ¹⁵ ⁄16"	3 1⁄2"	4.00
	"HT OR MISS" CUT THAT REMOVES HIGH SPOTS WITHIN SPECIFIED SIZE. 15%6" 1 3%16" 1 7%16" 1 15%16" 2 7%16" 2 15%16"	'HT OR MISS" CUT THAT REMOVES HIGH SPOTS WITHIN SPECIFIED SIZE. NET SIZED TO BE THE EXACT SIZE $1^{5}/_{16}$ " FON/LV PHX $1^{5}/_{16}$ " 1^{1} $1^{3}/_{16}$ " 1^{1} $1^{3}/_{16}$ " 1^{1} $1^{7}/_{16}$ " 1^{1} $1^{7}/_{16}$ " 1^{1} $1^{7}/_{16}$ " 1^{1} $1^{2}/_{16}$ " 1^{1} $1^{2}/_{16}$ " 1^{1} $2^{7}/_{16}$ " 2^{1} $2^{15}/_{16}$ " $2^{1}/_{2}$ " $3^{15}/_{16}$ " $3^{1}/_{2}$ "

HOW WE CHARGE

Lumber is sold in the rough for no added charge. This is for our customers that want to use the organic characteristics of the lumber in their projects. We do have milled options available so you can have a quality straight edge on your lumber. Milling service is charged at 10% of the total footage of the material and we use our industrial grade equipment to straight edge material for you. The advantage of having us do the straightening is that it is cut with minimal waste and you can have an accurate straight edge to work off when using commercial grade tools.

LARGE RUNS ARE MEASURED BY TALLY STICK AND YOUR PRICE CALCULATED BY THE BOARD FOOT CALCULATION BELOW. YOU ARE PAYING FOR THE VOLUME OF THE LUMBER.

> (WIDTH IN INCHES χ

DO NOT FORGET TO ADD 10% FOR STRAIGHT LINED AND SURFACED MATERIAL

THICKNESS MULTIPLIER LENGTH IN FT

DIVIDED BY 12



ALDER

ASH

BASSWOOD

BIRCH RED

CHERRY

HICKORY

OAK RED

DOMESTIC HARDWOODS

Peterman Lumber is one of the only will call facilities that let you come hand select your own lumber. We have great relationships with all of our domestic mills and if we do not have it in stock can usually get a hold of it for you. All types of cuts are plain sawn unless specified.







YOU CAN specify **1. PREMIUM PULL** 2. COLOR PULL 3. WIDE WIDTHS 4. CUT TYPE

5. GRADE

TYPICAL LENGTHS

8-16FT *Depends on Species *Lengths need to be specified

TYPICAL THICKNESS

4/4 - 16/4



🔊 136

IMPORTED HARDWOODS

All imported hardwoods are well researched and comply with the LACEY Act to ensure sustainability of our rain forests. All types of cuts are plain sawn unless specified.

AFRICAN BLACK LIMBA						1
AFROMOSIA (AFRICAN TEAK)			NAME AND DESCRIPTION			
ANIGRE		·注意:于是多数				
BEECH – EURO STEAM Including: Quartered						p
BLOODWOOD	YELLOWHEART	CANARYWOOD	ANIGRE	Makore Quarter	MAHOGANY - GENUINE	
BUBINGA (AFRICAN ROSEWOOD)			医马克尔 电子		E DE CASE D	Ą
CANARYWOOD					AN LOUGH FREE	ł.
CUMARU (BRAZILIAN TEAK)		1.1 5131				X
GONCALO ALVES (TIGERWOOD)		AS ALL STREET				
IPE (BRAZILIAN WALNUT) Including: Decking	BEECH - EURO STEAM QUARTER	BEECH - EURO STEAM	IROKO	JATOBA (BRAZILIAN CHERRY)	MAHOGANY - AFRICAN	
IROKO		重信均温医肾	A MANAGER			
JATOBA (BRAZILIAN CHERRY)						
LACEWOOD Quartered only						
MAHOGANY – AFRICAN Including: Quartered			AFROMOSIA (AFRICAN TEAK)		BURINGA	
MAHOGANY – GENUINE	AFRICAN BLACK LIMBA	目的人族主任	LAFRIJAN TEAKJ	SPANISH CEDAR	BUBINGA (African Rosewood)	15
MAHOGANY - SANTOS						
MAKORE Quartered Only						Ì
MORADO (BOLIVIAN ROSEWOOD)	Second Second	相應利率。加速	The state of the			Į
PADAUK	7FBR4W0D	LACEWOOD	CUMARII	TEAK (GEN BURMESE)	MORADO	ł
PURPLEHEART	ZEBRAWOD Quarter	QUARTER	CUMARU (Brazilian teak)	QUARTER	(BOLIVIAN ROSEWOOD)	ł
SAPELE RIBBON STRIPE Quartered Only					· 作品: 二月	ľ
SIPO						5
SPANISH CEDAR					the state of the	
TEAK (GENUINE BURMESE) Including: Quartered	Sapele Ribbon Stripe Quarter	SIPO	MAHOGANY - AFRICAN Quarter	WENGE	WALNUT (PERUVIAN)	
WALNUT (PERUVIAN)	QUANILN		QUAITEN			
WENGE Including: Quartered				YOU CAN specify	TYPICAL LENGTHS	T \
YELLOWHEART				2. COLOR PULL	8-16FT * Depends on Species	4/
ZEBRAWOOD				3. WIDE WIDTHS	**Lengths need to be specified	

Quartered Only





TYPICAL THICKNESS

4/4 - 16/4

4. CUT TYPE

5. GRADE



HARDWOODS

SOFTWOODS

SOFTWOODS

When you are looking for aesthetics over construction grade, Peterman carries high end architectural softwoods that are used in doors, millwork, furniture, saunas, and for cooking. All types of cuts are plain sawn unless specified.

Softwoods are charged by the lineal foot because it has a surfaced fixed width.

Lineal foot ((Price) x (Lineal Foot))

AROMATIC CEDAR

WESTERN RED CEDAR Vertical Grain

CYPRESS

DOUGLAS FIR Vertical Grain


HEMLOCK Vertical Grain

SUGAR PINE

PONDEROSA PINE

RADIATA PINE

REDWOOD





TYPICAL THICKNESS

NOMINAL Thickness	NET Thickness
1"	11/16"
2"	1-1/2"

TYPICAL LENGTHS

6-20FT RANDOM LENGTHS



RADIATA PINE

HEMLOCK VERTICAL GRAIN






HARDWOOD VENEERS

Peterman Lumber has over 200 Veneer options available where you are able to select the slice type, match type, pattern, & even specify custom lamination on any of Peterman's core options.

At Peterman Lumber, you can:

1. SELECT YOUR *Clice Type*







PLAIN SLICE





2. SELECT YOUR Backer Type

WOOD BACKED PAPER

PEEL & STICK

*laid up to your specification

3. SELECT YOUR Match Type


SLIP MATCH


pattern.



Every other leaf is turned like a page of a book - producing a mirror image.











VENEER OPTIONS available









RECONSTITUTED VENEERS

Reconstituted or "Recon" Veneers are made by grinding pulp and combining dyes to achieve an exotic look. These high end looks achieve two goals that real wood cannot: it has complete consistency where every sheet will look the same and meets an economical price point.

TYPICAL SIZE

15/16" x 500ft Rolls of Matching Edgeband available

PANELS

-SIZE: 4'x8' -THICKNESS: 1/4" 3/4" -SINGLE OR DOUBLE SIDED, MDF *4' x 10' and other sizes are

available. Please contact a Sales Rep for more information.







CUSTOM MILLING

MILLWORK

Peterman has a 15+ year partnership with Specialized Milling and with their state of the art milling facility on-site we are able to hand walk though the process of: selecting lumber, getting it made to your specifications, and neatly wrapping in bundles to deliver to you.

1. PICK OR DRAW YOUR PROFILE

2. SPECIFY


NET THICKNESS | NET WIDTH | # OF LINEAL FEET

3. PICK YOUR SPECIES


CLEAR ALDER	MAPLE
KNOTTY ALDER	RED OAK
BIRCH	WHITE OAK
BEECH	POPLAR
CHERRY	WALNUT
HICKORY	MDF
MAHOGANY	




DON'T SEE moulding ON THE SHELF THAT FITS YOUR PROJECT?











We specialize

in taking your ideas from a simple sketch, to a finished product.



COMPUTERIZED CAD MACHINES, ALMOST ANY SHAPE IS POSSIBLE

STATE OF THE ART GRINDING FACILITY


HUGE HARDWOOD OR MDF AVAILABILITY




MILLWORK

CASING

Looking for a decorative way to frame in windows or doors? Take a peek at our profiles that cover styles from traditional to more modern.





AVAILABLE IN
*Please check with your of each profile in the sp


POPLAR
MAPLE






BASE

Base mouldings are an aesthetic way to transition from wall to the floor.





 AVAILABLE IN
 *Please check with your sales rep for current stock & availability of each profile in the species you are looking for.


 POPLAR
 MAPLE


 HICKORY
 OAK WHITE




CROWN

Crown mouldings are typically used to cover the transition from ceilings to wall.








PANEL

Panel moulding is a great way to dress up any 90 degree angle. It can be used to replace edge tape on panel products to give a decorative edge detail, instead of a flat edge. Panel moulding can also be used on the inside of door and drawer framing to give great detail without having to pull out your router set.





 AVAILABLE IN
 *Please check with your sales rep for current stock & availability of each profile in the species you are looking for.

 POPLAR
 MAPLE

 BIRCH
 ALDER CLEAR


 HICKORY
 OAK WHITE



TONGUE AND GROOVE

These profiles are typically used in closets or as a decorative element for walls. The Wainscot gives a great accent to Victorian or Cape Cod style spaces.

REVERSIBLE WAINSCOTING P-802












PLANT ON

Plant on moulding can be applied to just to about any flat surface to give a decorative accent. Can be used on flat panel doors or on wall paneling.







P-404

3/4

P-508

7/8

5/16



P-402


P-412

1-1/2

P-510

1-1/8


5/16





P-400

1-3/4


P-507

















AVAILABLE IN








SURFACED FOUR SIDES

Makes fixed widths a no brainer! This fixed width lumber is surfaced on all 4 sides to make it easy so you do not have to worry about ripping or yields. We often see our customers use these widths for shelving.






AVAILABLE IN *Please check with your of each profile in the sp POPLAR MAPLE HICKORY DAK WHITE








CORNER & COVE


Decorative Element that spruces up both inside and outside corners to cover up joints between walls.














SPECIAL APPLICATIONS

BAR NOSING_{P-902}

Use for bar top edges, so drinks won't slide off the edge. Milled with a 90 degree inset to lay on your horizontal surface and have a sturdy overhang.




CLOSET ROD P-910

Full round has many uses but is especially thought of as a closet rod. Classic material that stands up to heavy weight without the clinking sound of metal.



1- 3/8 DIAMETER AVAILABLE IN 1- 9/16, 1- 1/16, 13/16, 5/8, 1/2

HAND RAIL P-9100



This simple profile has a variety of styles with different hardware or applications. Either dowel in directly for a freestanding handrail or with J hooks directly to the wall.

AVAILABLE IN

*Please check with your sales rep for current stock & availability of each profile in the species you are looking for.










Hand rail

5 164

MDF

Many of our most popular mouldings available as pre-primed and smooth MDF profile.



MDF MOULDING IS 16FT LONG


*NOTE: Casing is 17ft long scaled to case a standard size door.





MDF


Many of our most popular mouldings available as pre-primed and smooth MDF profile.






CASING

*Sold in 17ft. Lengths scaled to case a standard size door.



P-101MDF





CUSTOM LAYUPS

WE LAMINATE LUMBER INC.

Now pressing *all brands* of laminate, metal, and wood veneers!



PARTICLE BOARD

MDF

VENEER CORE

KERFKORE

FIRE RATED

FSC

NAF

MOISTURE RESISTANT


CUSTOM LAYUP FOR ALL HPL BRANDS WIIsonart LAMIN CRT

SIZE **Capabilțies**

AS LARGE AS 5' X 12' E AS SMALL AS 30" X 8'

pionite

WOOD VENEERS



- Peterman is not limited to the machine. We have high heat resistant adhesives and contact glues.
- 2. Able to laminate metals, leathers, and other materials.
- 3. Can laminate boards together up to 4" thick.
- 4. Capabilities to work with 1/4" thick boards.
- 5. We can purchase and layup material from ANY distributor.





*Call us for more info on custom projects!

INTERIOR GRADE - COMPOSITE PANELS

A favorite especially for our prefinished melamine board cores, and to custom lay up laminates. These core materials are valued for their smooth unblemished surfaces and homogenous cores giving them a stable and reliable surface.

INTERIOR GRADE - SOFTWOOD PLYWOOD

When you are looking for outstanding screw holding strength and a lighter weight than composite.

CORES AVAILABLE:

PREMIUM CALIBRATED J CORE

Calibrated with Tightest Tolerances and Lightest Weight.

MDF CROSSBANDS

Laminated with MDF crossbands to achieve the flat surface of MDF while still providing plenty of screw holding power.

DOMESTIC VENEER CORE

Screw Holding of plywood with the flatness of MDF, with the same light weight of our premium J Core.

*Our Most Popular Option

<u>MDF</u>

FEATURES

- Stability
- Predictable and reliable
- No Cupping
- No Warping
- No Shrinkage

<u>options</u>

- Medium Density
- Fiberlight
- Ultralight
- No Added Formaldehyde (NAF)

- Fire Rated

- Moisture Resistant

PARTICLE BOARD

<u>FEATURES</u>


- Stability
- Predictable and reliable
- No Cupping
- No Warping
- No Shrinkage

<u>options</u>

- Pine
- Fir
- High Density
- No Added Formaldehyde
- (NAF)
- Fire RatedMoisture Resistant









INTERIOR GRADE - HARDWOOD PLYWOOD

Peterman's hardwood plywoods not only have a hardwood veneer face and back, but the core ply's are also made from hardwood. This combination gives you a decorative face that can quickly be stained and finished, but also is much more stable and economical option than solid wood.

Hardwood plywood has many of the same uses of solid hardwood lumber such as (but definitely not limited to): cabinets, furniture, built in closets, doors, paneling, exhibits, musical instruments, and even skateboards.

BALTIC BIRCH

PRODUCT FEATURES

- Baltic Birch Face & Core
- European Edge has an appealing exposed edge
- Great Stability
- Stays flat because of the manufacturing process
- 5x5' core comes with our standard interior glue line
- 4x8' comes with a moisture resistant phenolic glue line
- * Also carry in 1 or 2 sided prefinished panels (see page 31)
- * Ask us about our imported birch.





THICKNESS	5X5'	4X8'
1/8	\checkmark	
1/4	\checkmark	\checkmark
3/8	\checkmark	
1/2	\checkmark	\checkmark
5/8	\checkmark	\checkmark
3/4	\checkmark	\checkmark

<u>POPLAR</u>

Garnica's lightweight panel is composed entirely European sustainable plantation grown poplar.

Maximum sustainability thanks to poplar sourced fast-growing plantations.

This wood provides lightness, stability, surface quand ease of machining.

- Light weight veneer core
- Void free core
- 100% Poplar Core
- Excellent smooth surface for laminating

ALSO AVAILABLE AS FIRE RATED

Garnica has the **Orly** Class A Fire Rated hardwood plywood material that you are able laminate onto.

All other fire treated plywoods are post treated with chemical that only goes surface deep and usually leaves lifted fibers and a rough surface

Garnica Poplar Fire Treated Plywood treats ea ply individually and is then pressed together giving you a panel that you are able to sand, m route, and treat as an untreated panel without weakening the fire treatment. Gives extra pea of mind to your customers for commercial applications and in public spaces.





ely of r.				
ced from	1			
e quality				
ing				
AS				
ble to				
eated and faces.				
s each er d, mill, nout peace			/	/
		/		

EXTERIOR GRADE - COMPOSITE PANELS


Extira is a revolutionary product for exterior applications that performs better than wood or MDF. Extira panels may look like MDF, but they don't perform like it. Different ingredients and a patented and proprietary manufacturing process lead to a superior performance.

EXTIRA® by JELD-WEN



Extira is easy to work with; can be carved, routed and machined. Resists moisture, rot, and termites. Twice as strong as MDF, Extira is made to be used outside.

Plus, Extira panels are covered by an industry leading 10-year limited warranty that far exceeds competitive panel products.



EXTIRA IS A Green product

Choosing products that are manufactured responsibly is more important than ever.


Extira uses sustainable products throughout its production processes and has earned third-party certification for no added formaldehyde.

This core material is CARB2 compliant as well as Greenguard Gold certified.

EXTERIOR GRADE - MARINE GRADE PLYWOOD

Thin sheets of wood veneer are used to make plywood. Arranging the sheets in alternating layers are what gives this panel its strength. Waterproof glue in marine plywood protects it from moisture when exposed to water and high humidity. This exterior glue line is what keeps the plywood from delaminating in inclement weather. This is an important design characteristic if you're building a boat hull with plywood. If the hull's protective finish is damaged and the wood gets wet, the plywood will remain structurally intact.

	PRODUCT SPECS	
PANEL		
- SHEET SIZE: 4' x 8'		
-THICKNESS: 1/2" 3/4"		



APPLICATIONS:

- Boat building and high moisture
- Garden furniture, like tables, chairs, and benches
- Pergolas

FEATURES:

- Voidless Core
 - Calibrated Thickness
 - Greater Strength for cutting and
 - screwholding capabilities
 - Voidless has no knots that moisture can get trapped in

CORE OPTIONS

- Exterior glue line
- Won't fall apart in weather

EXTERIOR GRADE - MDO PLYWOOD

Medium density overlay panel, or MDO panel, is a paintable surface made of plywood with a weather-resistant resin overlay bonded to the wood. The resin content in the overlay resists water and gives it great exterior qualities standing up to weather, wear and degradation. MDO's flat surface and great stability make it a favorite for sign makers.

EXTERIOR GRADE - SOFTWOOD PLYWOOD

Softwood Plywood is plywood which has a face and back veneer of softwood. Softwood plywood panels are comprised of a core made from either softwood then faced and backed with a veneer of soft wood and therefore are used for structural applications.

FEATURES:

PANEL

-SHEET SIZE: 4' x 8' -THICKNESS: 1/2" 3/4"

- Weather Resistant
- Ultra Flat Surface
- Outstanding Stability

PRODUCT SPECS











CURVED FORM PANELS

KERFKORE

FLEXBOARD & TIMBERFLEX

Flexboard from Kerfkore is a bendable substrate panel with a hardboard face that can be formed first and laminated last. The hardboard or poplar face is calibrated for uniform thickness throughout the manufacturing process and smooth enough for veneer layup or to paint on directly.

<u>BENEFITS</u>

-Eco Friendly product with NAF face material and core made from 100% recovered and recycled fiber content.

-The hardboard surface is ideal for painting or laminating paper, vinyl, veneer, HPL, and metal.

-Low cost economical substitute for bending panels.

-10 inch radius fabrication with no special fabrication.

-Calibrated for uniform thickness results in excellent seam hiding qualities without filling or sanding.



• PANEL -SHEET SIZE: 4' x 8' -THICKNESS: 3/4"





<u>ECONOKORE</u>

Econokore by Kerfkore is a unique 2-ply product that brings you the ability to form curves with less labor and less cost. Made of processed MDF core with a high density overlay, you will find it much easier and more economical to use than bending plywood!

BENEFITS

- -Low cost economical substitute for bending panels.
- -Saves time with no sanding or patching required.
- -No Surface preparation. High density or poplar plywood overlay provides smoother, more symmetrical laminating or painting surface.
- -No warping or twisting. A two-ply construction offers a more stable and balanced panel.
- -No Size variation. Product is sanded and calibrated for consistent size & thickness.


-No special tools or installation needed Install using standard fabricating tools and methods.



-SHEET SIZE: 4' x 8' -THICKNESS: 3/4"







KERFKORE



BUSSOLOTTI CABINET SYSTEMS


Bussolotti is a Ready to Assemble (RTA) cabinet system from Salt International that uses premium components to give you the best quality frameless cabinets. The Bussolotti System paired together with Peterman Lumber's Made to Order Custom Door Program gives you the ultimate flexibility to give your customer beautiful transition to modern styles with no fabrication on your part.

Premium components that are a pleasure to build.

This system offers more than your standard Ready to Assemble (RTA) cabinets. Our Integrated System sets you up for success by offering premium components as a full system designed to work together - down to the screws. The parts go together easily the first time. Bussolotti is redefining box systems by including: industry-leading hardware, water-resistant interiors, time-saving box leveling solutions, and on-trend and in-demand prefinished door options.

Be able to offer your customers a premium product on their schedule. Do not turn down projects because of a long backlog, short staff, or downed machinery. Bussolotti's simple box assembly makes you more efficient while Peterman Lumber's color choices make it feel like a truly custom system. In addition to our 5 options of in-stock Grab & Go Doors, Peterman Lumber can custom make doors to your specification in any of our 175+ prefinished options. Expect commercial-grade durability that is equal to the stunning colors and textures you can choose from.

Ask us about our Bussolotti cabinet system and for a catalog to see our full selection of sizes.



BUSSOLOTTI CABINET SYSTEMS


FEATURES

- Components made from premium linen-textured, 13-hour water-resistant panels.
- Over 175+ premium made to order cabinet doors, available in modern styles:
 - $\cdot\,$ Textured Woodgrain
 - \cdot High Gloss
 - Super Matte
 - $\cdot\,$ Acrylic Back Painted Glass & Frosted Glass
 - \cdot Metal
 - \cdot Concrete
- Includes premium industry-leading box hardware for Euro-style boxes:
 - Salice Silentia+ Soft Close Hinges.
 - Blum Tandembox System with Blumotion soft-close undermount slides.
- Convenient Leveling and Integrated Toe Kicks.
- Options for Salt Intl. Handle free solutions:
 - Gola Integrated Handle System
 - Filo & Karmen Finger pulls
- Storage solutions like trash pullouts, lazy susans, and roll-out shelves.
- Peterman Lumber believes in the reliability and precision of the Bussolotti system and warrants the material and craftsmanship of the components to be defect free and fit together precisely or we will give you a replacement.





13 HOUR WATER RESISTANCE



Standard Composite Panel

Saviola Hydrocore



IN-HOUSE FABRICATION







Time is money. Be able to say yes to more jobs by utilizing Made to Order Doors through Peterman Lumber. With Industry leading quality in 125+ finishes to choose from, 5 different door styles, and the ability to specify the grain direction, your options feel unlimited. With looks that range from traditional to contemporary, you will be able to capture a whole range of customer desires with reassurance. All of our color options are consistent batch to batch and come with built-in water resistance through the core material and PUR waterline adhesives. They will be delivered just as you ordered them - Peterman Guarantee.

Industry leading construction and PUR adhesives make for a quality door that is bundled with Peterman Lumber service and delivery. Each order is fully customized to your specifications with our easy to use order forms. Just select your finish and fill out the dimensions and specifications for each door. Our order form will give you a price that is rounded (up or down) to the nearest sqft giving you an easy quoting tool for when you bid your jobs. When you are ready to place your order simply submit your order form to your sales rep, sign off that all dimensions inputted are correct, and prepare to install when Peterman delivers to your shop or job site.

ADVANTAGES

- -13 Hour water resistant core for all Saviola materials
- -9hr water resistant core for all Innolac and Nitro materials
- -Use high strength and waterproof bonding PUR glue -125+ woodgrain, high gloss, super matte and metal textures
- -Capabilities to choose grain direction
- -Capabilities for sequenced grain matched doors
- -Have options for Glass Insert and Prep for Glass doors -Options for contemporary hardware
- -Capabilities for floating shelves in matching materials




Scan to download our most current door Order forms for Salt Intl., Merino, and Stevenswood Doors.

MATCHED GRAIN OPTIONS

One of the biggest advantages of prefinished surfaces is the consistent pattern and color. Because of these consistencies we are able to offer a matched grain option that is continuous across your doors and drawers, either vertically or horizontally.

This option gives you seamless lines and only possible with prefinished products. Perfect way to use natural elements as a design element.





HORIZONTAL GRAIN

VERTICAL GRAIN







186

GLASS INSERT DOORS

Shaker style doors with glass already inserted. Glass is fully captured in a dado for a seamless door on both sides.

• 1/4" tempered glass.

1/4"

1/4"

- The routed area is painted to match your door.
- Includes your choice of fully captured glass.

DADO


• Stiles will run vertical grain and rails will run horizontal grain.



PREP FOR GLASS DOORS


Shaker open style doors come with the back routed out to insert your own glass or center panel.

- Routed to fit any 1/4" insert panel.
- Does not include glass



GLASS OPTIONS

1/2"



REEDED GLASS

FTFRMA

AVAILABLE THICKNESS	1/4" (6MM) CENTER 3/4" (19MM) CENTER					
AVAILABLE FINISHES	DOORS: I	NIN-MAX V	VIDTH & I	HEIGHT		
All Salt	MIN W	MAX W	MIN H	MAX H		
- Saviola - SM'art - Innolac - Nitro - Metalica	8"	38"	8"	96" Standard: 60" With Centerrail: 60"-96"		
All Stevenswood - Legno - Artika & Rain						
All Merino - Meister Gloss - Meister Matt						



FRONT

BACK



BACK DETAIL



SALT CUSTOM DOOR PROGRAM

AVAILABLE THICKNESSES

for Saviola ONLY

Saviola XG Panels

Innolac High Gloss

LINENS: DIMENSION RESTRICTIONS

Mahnolia Linen, Buff Linen, Anthracite Linen

NON-GRAIN FINISHES: DIMENSION RESTRICTIONS

Saviola

SM'art

Nitro

*Different thicknesses available

GRAIN FINISHES: DIMENSION RESTRICTIONS

FLAT DRAWER

FLAT DOOR

HORIZONTAL GRAIN

HORIZONTAL GRAIN

3/4"

(19MM)

- w

3/4"

(19MM)

— w —

-

SLAB STYLE - MODERN FLAT

FLAT DRAWER Vertical grain

FLAT DOOR

VERTICAL GRAIN

3/4"

- W

3/4"

(19MM)


— w —

(19MM)



STEVENSWOOD CUSTOM DOOR PROGRAM

SLAB STYLE - MODERN FLAT




GRAI Legi Artik

AVAI

SIENNA STYLE - TRANSITIONAL FLAT

-






3"

All Le Artik

SHAKER STYLE - TIMELESS & TRADITIONAL



н

3"

CENTER PANEL


1/4"

CENTER PANEL

– W

3" GLASS INSERT

- w




SHAKER DOOR

1 CENTER RAIL

SHAKER DRAWER

Non-Grain Finishes also available (see table to the right) Metalica **SIENNA STYLE - TRANSITIONAL FLAT** SIENNA DRAWER




AVAILABLE THICKNESS	3/4" (19MM)			
AVAILABLE FINISHES: MIN-MAX WIDTH & HEIGHT	MIN W MAX W MIN H MAX H			MAX H
Saviola & SM'art	8"	38"	3"	96"


SHAKER STYLE - TIMELESS & TRADITIONAL





*Shaker doors are default vertical grain for the center panel. Please specify if you would like horizontal grain. *8"x 8" minimum for shaker drawers. Slab and Sienna are alternative drawer options.





– W

3'

– w

AVAILABLE THICKNESS	3/4" (19MM) / .315" (8MM) CENTER			
AVAILABLE FINISHES	DOORS: MIN-MAX WIDTH & HEIGHT			
Saviola & SM'art	MIN W	MAX W	MIN H	MAX H
Bianco (Nitro Super Matte & Innolac High Gloss)	8"	38"	8"	96" Standard: 60" With Center Rail: 60"-96"

– w

189 CUSTOM CAPABILITIES | PETERMANLUMBER.COM

THICKNESS	3/4" (19MM)			
FINISHES: MIN-MAX WIDTH & HEIGHT	MIN W	MAX W	MIN H	MAX H

3/4" (19MM) - Standard

H

5"-81"

5"-108"

5"-79"

HORIZONTAL GRAIN

W

5"-108"

5"-81"

5"-118"

1-1/2" (38MM) + Lead Times & Cost

VERTICAL GRAIN

5"-81" 5"-108"

5"-79" 5"-118"

5"-81" 5"-108"

5"-116" 5"-47"

5"-116" 5"-47"

Н

5"-81"

Н

Н

5"-46"

W

5"-108"

W

W

5"-108"

2" (50MM) + Lead Times & Cost

STEVENS**WOOD**


g the World of Surfaces

LABLE THICKNES	SES	3/4" (19MM)					
N FINISHES: WIDT	N FINISHES: WIDTH & HEIGHT						
no	HORIZONT	AL GRAIN	VERTICAL GRAIN				
	W	H	W	H			
	5"- 94"	5"- 58"	5"- 58"	5"- 94"			
ika & Rain	HORIZONT	AL GRAIN	VERTICA	L GRAIN			
	W	H	W	H			
	5"- 94"	5"- 46"	5"- 46"	5"- 94"			

LABLE THICKNESS	3/4" (19MM)				
LABLE FINISHES: MIN-MAX WIDTH & HEIGHT					
egno and	MIN W	MAX	(W	MIN H	MAX H
ka & Rain Colors	8"	3	B"	3"	96"



- *Shaker doors are default vertical grain for the center panel. Please specify if you would like horizontal grain.
- *8"x 8" minimum for shaker drawers. Slab and Sienna are alternative drawer options.








MERINO CUSTOM DOOR PROGRAM



SLAB STYLE - MODERN FLAT




— w –

⊢

AVAILABLE THICKNESSES	3/4" (19N	1M)
WIDTH & HEIGHT	W	H
Gloss Meister & Matt Meister Single-sided door with matching backer	5"-108"	5"-46"


FLOATING SHELVES

Options for beautifully concealed floating shelves in the same materials as your doors. The brackets are into a stud or attaching with drywall anchors. Once bracket is mounted, the shelf box snugly slides onto are available in the below sizes 24-72in and have a 4 week lead time.



MATERIAL:	GROUP Saviola SM'art t Legno b Artika b Meister Meister					
	GROUP B: Innolac High Gloss by Salt (1 Sided)					
	GROUP C: Fenix by Salt Nitro by Salt Metalica by Salt					
SPECIFICATIONS:	DEPTH THICKNESS LENGTH: MIN - MAX					
	10 IN 12 IN	2-3/8 IN (60.3MM)	24-72 IN			

SHAKER STYLE - TIMELESS & TRADITIONAL



*Shaker doors are default vertical grain for the center
panel. Please specify if you would like horizontal grain.

*8"x 8" minimum for shaker drawers. Slab and Sienna are alternative drawer options.

AVAILABLE THICKNESS	3/4" (19MM) / 1/4" (8MM) CENTER				
AVAILABLE FINISHES	DOORS: MIN-MAX WIDTH & HEIGHT				
	MIN W	MAX W	MIN H	MAX H	
MATTE ONLY: Interior White Folkstone Grey Gothic Grey	8"	38"	8"	96" Standard: 60" With Centerrail: 60"-96"	



constructed of structural steel and fully welded for superior strength to handle your support requirements. Brackets come powder coated in a black finish, and are easy to install to a finished wall by screwing directly bracket for a tight fit. If a woodgrain finish is selected grains will run the length of the shelf. Floating shelves

FLOATING SHELF INCLUDES:

2-3/8in

Floating Shelf Box Bracket

REQUIRED FOR INSTALLATION (NOT INCLUDED):

Wall Screws/Wall Anchors Drill/Driver Level Pencil Wall Stud finder



GOLA HANDLE FREE SYSTEMS


Simple. Clean. Efficient. Designed to be a clean solution for a large bank of doors or drawers. The Gola system is routed to fit in flush to your cabinet box. Leaving an exposed decorative metal extrusion to eliminate the need for individual knob or pull hardware on each door.

This is our most efficient and low profile hardware system. Salt International preroutes and drills cabinet boxes for all these profiles to make installation simple. Just select the color of the exposed channel and components will be packaged as a kit and ready to go. Our Gola system is a perfect match to our metal Toekick color options. All of our extrusions are also available as LED lighted options.

AVAILABLE FINISHES

CLEAR ANODIZED	STAINLESS S	STEEL BLACK







GOLA LED - HORIZONTAL C PROFILE


HLCLIP



EXTERIOR CORNER

END CAP GBCEC

GBCEXC













INTERIOR CORNER GBLINTC






SICEC8007L



CUSTOM CAPABILITIES: ACCESSORIES





GOLA HANDLE FREE SYSTEMS


5SALT


AVAILABLE FINISHES




VERTICAL TALL PANTRY

SINGLE VERTICAL










SI8012L

DOUBLE VERTICAL



UPPER CABINET









∮S∧lt

Same sleek look as our Gola system - but used as finger pull application where the installation is on the doors instead of the cabinet box.

Filo & Karmen extrusions give a nice metal grip on the top of your doors or drawers. These two profiles can be used exclusively, but if used together give a beautiful recessed metal separation between drawers. A much faster and economical alternative to install on large banks of doors and drawers than traditional pulls.


INSTALLATION


Simply route one edge of your doors and screw on the extrusion. Filo and Karmen are two separate profiles but the application is the same. Filo Profile is most commonly used as the upper, and Karmen as the lower. This system is available as extrusion only and is not available pre-routed on your doors. Filo & Karmen come in 9ft lengths.

AVAILABLE FINISHES










KARMEN


LOLA SCALABLE PULLS

Our Lola Drawer Pulls are designed to be cut to the size of your drawer. What makes these drawer pulls so unique is that the teardrop handle scales to be wider as the overall length of the drawer increases, so you have a handle that never looks too large or too small. Lola gives a decorative touch that is subtle, but will not go unnoticed.

Available in lengths from 12"- 48" and can be used in a vertical or Horizontal application. Lola can be screwed on directly to the door, with an optional 2mm rabbet for flush mounting. Lola is available as extrusion only and is not available pre-routed on your doors.

AVAILABLE FINISHES









7 198

REHAU FABRICATION



Modern design made easy. REHAU delivers modern design to your door in days. With zero-joint edgebanding and 60+ finishes to choose from, REHAU takes the st ress out of modern design. Whether you are creating a high-end kitchen, bathroom or dining room in an individual home, or outfitting an entire condominium complex, REHAU Cabinet Doors complete with perfectly-matched REHAU LaserEdge[™] technology add a touch of elegance and new dimension to your design.

Your shop is no longer limited by the need for costly laser edgebanding machines because REHAU takes care of the whole process for you - cutting the board and finishing the door with perfectly matched adhesive-free REHAU LaserEdge. You receive a perfectly sized, finished slab or shaker style door that is ready to be fitted for hardware and installed. The REHAU Door Portal is an easy online tool that takes you through each step of the process to order or get an instant quote.

FEATURES

- Options for adjustable size rails for Shaker and Sienna doors
- 60+ Surfaces in High Gloss, Matte, Glass, Woodgrains, and Metal
- 100% Seamless Zero-Joint edging technology
- Pricing in this book does not include freight and packaging
- Input into the REHAU Door Portal for an exact quote

ZERO-JOINT EDGEBANDING

What is REHAU LaserEdge[™] is an edgeband with a pre-applied, co-extruded polymer functional layer that replaces the traditional glue used to apply edgeband, allowing for a much superior and seamless joint between the edgeband and the board. Innovative laser and hot air technology creates a seamless, adhesive-free finish that allows longer lasting water & steam resistance to the board.

PRODUCT FEATURES

- No glue line to collect dirt, chip away or yellow over time
- Creates a bond equal or greater to PUR (no delamination)
- Extremely heat and Moisture Resistant





Scan to access the **REHAU Door Portal**




Scan to watch a video on REHAU LaserEdge™






REHAU CUSTOM DOOR PROGRAM

SLAB STYLE - MODERN FLAT




AVAILABI	E THICKNESSES:	
MINIMUM	WIDTH & HEIGHT:	
All Fini	shes	
MAXIMUI	N WIDTH & HEIGHT:	
RAUV	SIO Terra	
RAUV	SIO Ferro	
RAUV	SIO Brilliant	
RAUV	SIO Crystal	
RAUV	SIO Noir	
RAUV	SIO Shade	

SIENNA STYLE - TRANSITIONAL FLAT



AVAILABLE THICKNESS:		13/16"		
AVAILABLE FINISHES:	MIN WIDTH & HEIGHT		MAX WIDTH & HEIGHT	
RAUVISIO Terra	6" X 10" WITH 2.5" RAIL	S	50" X 119" WITH 3" RAILS	
*We have options for Adjustable Rails.				

SHAKER STYLE - TIMELESS & TRADITIONAL



^CREHAU

3/4" 13/16" (TERRA)				
W	H			
3"	5"			
W	H			
50"	119"			
47"	109"			
50"	109"			
50"	109"			
50"	119"			
47"	109"			

Г	٦		Γ	
		_ 1		

AVAILABLE THICKNESSES:		3/4" 13/16" (TERRA)		
AVAILABLE FINISHES:	MIN WIDTH & HEIGHT		MAX WIDTH & HEIGHT	
RAUVISIO Brilliant	8-7/8" X 11" WITH	3" RAILS	48" X 96" WITH 3" RAILS	
RAUVISIO Terra	8-7/8" X 11" WITH	3" RAILS	48" X 96" WITH 3" RAILS	
RAUVISIO Noir	8-7/8" X 11" WITH	3" RAILS	48" X 96" WITH 3" RAILS	
RAUVISIO Shade	8-7/8" X 11" WITH	3" RAILS	48" X 96" WITH 3" RAILS	
RAUVISIO Crystal*	8-7/8" X 11" WITH	3" RAILS	48" X 96" WITH 3" RAILS	

*Crystal is only offered in Prep for Glass (Frame Only) Warranty only available for doors over 65"

REHAU INTEGRATED HANDLES

REHAU integrated handles personally suit each door or drawer and come preinstalled with matching end caps to guarantee no sharp edges. With accentuated modern lines and universally flattering color options, these handles are the perfect touch to creative cabinet designs. These are available to order only on REHAU Products through the REHAU Door Portal.

and also designed for

upper cabinets doors.

INTEGRATED HANDLES

AVAILABLE FOR THESE

COLORS ONLY:

SIZE PARAMETERS:

AVAILABLE APPEARANCES:

*Not available for RAUVISIO Crystal Mirror

VISIBLE J CHANNEL 32MM HIDDEN RECESSED 2MM Jamm Jamm Jamm Jamm Jomm Jamm Jomm The 2 mm REHAU integrated handle is almost invisible and combines exceptionally well with a flat profile,

The 32 mm REHAU integrated handle features a visible channel.

COLOR SELECTION:







RAUVISIO Brilliant

RAUVISIO Crystal

RAUVISIO Ferro

RAUVISIO Terra RAUVISIO Noir

MAX LENGTH

109IN (2768.6MM)

MIN LENGTH

6 IN (152.4MM)

Recessed Profile 5/64in (2mm)

J Channel 1-17/64in (32mm)



Scan here to see product specifications and downloads for technical information.



Available to order Integrated Handles preinstalled on Doors through the REHAU Door Portal.

FLOATING SHELVES

10 or 12 in Custom width 22-96in

MATERIAL:	RAUVISIO Brilliant RAUVISIO Terra RAUVISIO Noir			
SPECIFICATIONS:	DEPTH	THICKNESS	WIDTH: MIN	
	10 IN (254MM) 12 IN (304.8MM)	2-3/8 IN (60.3MM)	22-96 IN (558.8-243	





EACH FLOATING SHELF KIT INCLUDES :

2-3/8in

Floating Shelf Brackets Mounting/location block Hardware T25 bit for rugged structural screws Installation instructions

REQUIRED FOR INSTALLATION (NOT INCLUDED):

Cordless drill/driver Level Pencil Wall stud finder



138.4 MM)



Scan here to see product specifications and downloads for technical information.







HOW TO ORDER




IN-HOUSE FABRICATION

Time is money. Be able to say yes to more jobs by utilizing Made to Order Doors through Peterman Lumber. With industry leading construction and PUR adhesives make for a quality door that is bundled with Peterman Lumber service and delivery. Each order is fully customized to your specifications with our easy to use order forms. Just select your finish and fill out the dimensions and specifications for each door. Our order form will give you a price that is rounded (up or down) to the nearest sqft giving you an easy quoting tool for when you bid your jobs. When you are ready to place your order simply submit your order form to your sales rep, sign off that all dimensions inputted are correct, and be ready to install when Peterman Delivers to your shop or job site.

ADVANTAGES

- 13 Hour Water Resistant Core for all Saviola Materials
- 9hr Water resistant core for all Innolac and Nitro materials
- Use high strength and waterproof bonding PUR glue
- 125+ Woodgrain, High Gloss, Super Matte and Metal Textures
- Capabilities to choose grain direction
- Capabilities for sequenced grain matched doors
- Have options for Glass Insert and Prep for Glass doors
- Options for contemporary hardware
- Capabilities for floating shelves in matching materials

Scan here to download our forms for Salt Intl., Merino,



REHAU FABRICATION

Your shop is no longer limited by the need for costly laser edgebanding machines because REHAU takes care of the whole process for you – cutting the board and finishing the door with perfectly matched adhesive-free REHAU LaserEdge. You receive a perfectly sized finished slab or shaker style door that is ready to be fitted for hardware and be installed. The REHAU Door Portal is an easy online tool that takes you through each step of the process to order and get an instant quote.



Scan here for a quick guide through the REHAU Door Portal

ORDER PROCESS

- Create an account (may take up to 24 hours for Rehau to set up account)
- Once logged in click cart on the top right corner and click create new order
- Select category for Finished Cabinet doors and floating shelves
- Put in specifications for doors
- Custom quote with freight will instantly be ready for you to review
- After you add items click save changes on bottom left column to save your order so it is ready to modify or order when you are ready!









Scan here to access the **REHAU Door Portal**









CORPORATE OFFICE: 10330 ELM AVE. 10330 ELM AVE. 101700 AVE. 1000 AVE. 1000 AVE. 1000 AVE. A110 W. WASHINGTON ST., SUITE 200 PHOENIX, AZ 85009 FAX: 623.936.5214 623.936.2627

5625 ARVILLE ST., SUITES C-D LAS VEGAS, NV 89118 FAX: 702.430.3440 702.430.3433



WWW.PETERMANLUMBER.COM